


| Date | |
|----------|--|
| Customer | |
| Project | |
| Гуре | |

Tetrix Adjustable Recessed 62 1x IP55 LED 4000K Medium DE White Matt




Playing with pieces, fitting them together in all kinds of intricate ways. Tetrix invites you to give it your personal touch with design options and accessories. It's versatile, fits everywhere, and is a breeze to install.





| | U |
|--|---|
| | |
| | |

| Material | 13517538 |
|---------------------------------|---|
| Light Source Type | LED |
| LED Type | BRIDGELUX V8G8 |
| LED technology | LED COB |
| CRI | Min. 90 |
| Colour Temperature | 4000K |
| Lifetime | L90B10 @50,000 Hours |
| Lamp Included | Yes |
| Number of Light Sources | 1 |
| CIE flux code | 97 99 100 100 100 |
| Binning (SDCM) | 2 |
| Light Direction | Down |
| Optic | Collimator |
| Measured beam angle (°) | 23.0 |
| Input Voltage | Constant Current Driver Required |
| Electrical Class | III |
| IP Rating | 55 |
| Glow wire rating (°C) | 850 |
| Indoor/Outdoor | Indoor |
| Application | Ceiling, Wall |
| Mounting | Recessed |
| Cut-out size (mm) | $\emptyset 68$ for Frame Recessed; $\emptyset 89$ for Frame Recessed TrimLess |
| Mounting depth (mm) | 110.0 |
| Adjustability | H 355° V 25° |
| Distance to Lighted Object (m) | 0,1 |
| Primary Colour & Primary Finish | White, Matt |
| Gross weight (g) | 141.0 |
| Drive current (mA) | 350 500 |
| Min. forward voltage (Vf) | 13,2 13,7 |
| Max. forward voltage (Vf) | 15,0 15,4 |
| Connected load (W) | 5,0 7,2 |
| Delivered lumens (lm) | 563 754 |
| Efficacy (Im/W) | 113 105 |
| Glare rating | 16 17 |
| Remark | Tetrix Recessed Ring or Tube Surface not |






included

- This is not a complete product. Tetrix Recessed Ring or Tube Surface required.
- This is not a complete product. Tetrix Recessed Ring or Tube Surface required.




TM30 & CRI diagram






Light distribution & beam diagram






Optical Accessories




13515032 Snoot 32 Black Structure **13515038** Snoot 32 White Matt




13515132 Honeycomb 33 Black Structure


Installation Accessories



13510083 Ring Recessed 62 1x IP55 Black Matt
13510038 Ring Recessed 62 1x IP55 White Matt




13515430 Ring Recessed Trimless 62 1x




13515530 Concrete Kit 62 150x150 1x







13515630 Concrete Ring 62 Standard Installation Housing




12293230 Plaster Kit Trimless 150x150 - 62 1x



12293330 Plaster Kit Trimless 300x150 - 62 2x




11624030 Installation Housing 140x250x100x210




11624130 Installation Housing 140x400x100x210





12292630 Gypsum Fibreboard 150x150



13515738 Tetrix Tube Surface 65 125 1x DE White Matt
13515783 Tetrix Tube Surface 65 125 1x DE Black Matt

Choose a required accessory