


Pate
Customer
Project
уре

Minude Semi-Recessed Adjustable 45 1x LED 3000K Spot DE Silver Bronze Brushed Anodised



Minude's yogic flexibility will surprise you about as much as its bare, cylindrical design. Express a refined and minimalistic look & feel on walls, on high or low ceilings. Try more than one Minude on our Pista track or on our redesigned Modupoint LED. Its long string of colours and miniature size will make a big impression.





ı	Specifications					
	Material					
	Light Source Type					


Specifications

Material	13710984		
Light Source Type	LED		
LED Type	CITIZEN CLU7A3		
LED technology	LED COB		
CRI	Min. 90		
Colour Temperature	3000K		
Lifetime	L90B10 @50,000 Hours		
Lamp Included	Yes		
Number of Light Sources	1		
CIE flux code	99 100 100 100 40		
Binning (SDCM)	2		
Light Direction	Down		
Optic	Lens		
Measured beam angle (°)	16.0		
Input Voltage	Constant Current Driver Required		
Electrical Class	III		
IP Rating	20		
Glow wire rating (°C) 960			
ndoor/Outdoor Indoor			
Application	oplication Ceiling, Wall		
Mounting	Semi-Recessed		
Cut-out size (mm)	ø40		
Mounting depth (mm)	110.0		
Adjustability	H 360° V 0)°/+90°	
Distance to Lighted Object (m)	0,1		
Primary Colour & Primary Finish	Silver Bronze, Brushed Anodised		
Gross weight (g)	324.0		
Drive current (mA)	350	500	
Min. forward voltage (Vf)	11,2	11,2	
Max. forward voltage (Vf)	13,2	13,2	
Connected load (W)	4,1	6,1	
Luminous flux per lamp (lm)	209	283	
Efficacy (Im/W)	51	46	
Glare rating	4	5	




TM30 & CRI diagram






Light distribution & beam diagram






Installation Accessories



10889530 Installation Housing 123x100x80



12293130 Plaster Kit 100x120-40 1x

Choose a required accessory