


Pate
Customer
Project
уре

Tetrix Straight Recessed 62 1x IP55 LED 1800-3000K WD Flood DE Black Matt



Playing with pieces, fitting them together in all kinds of intricate ways. Tetrix invites you to give it your personal touch with design options and accessories. It's versatile, fits everywhere, and is a breeze to install.





α				
Nn4	ecifi	cat	ion	C
$\cup u$	-ciji	Cui	$\iota \cup \iota \iota$	J

Specifications			
Material	13740083		
Light Source Type	LED		
LED Type	BRIDGELUX WARMDIM 8W		
LED technology	LED COB		
CRI	Min. 95		
Colour Temperature	1800-3000K (Warm Dim)		
Lifetime	L90B10 @50,000 Hours		
Lamp Included	Yes		
Number of Light Sources	1		
CIE flux code	99 100 100 100 80		
Binning (SDCM)	3		
Light Direction	Down		
Optic	Collimator		
Measured beam angle (°)	50.0		
Input Voltage	Constant Current Driver Required		
Electrical Class	III		
IP Rating	55		
Glow wire rating (°C)	850		
Indoor/Outdoor	Indoor		
Application	Ceiling, Wall		
Mounting	Recessed		
Cut-out size (mm)	ø68 for Frame Recessed; ø89 for Frame Recessed TrimLess		
Mounting depth (mm)	110.0		
Adjustability	Not Applicable		
Distance to Lighted Object (m)	0,1		
Primary Colour & Primary Finish	Black, Matt		
Gross weight (g)	146.0		
Drive current (mA)	250		
Min. forward voltage (Vf)	29,5		
Max. forward voltage (Vf)	35,8		
Connected load (W)	8,3		
Luminous flux per lamp (lm)	531		
Efficacy (Im/W)	64		
Glare rating	20		



Tetrix Straight Recessed 62 1x IP55 LED 1800-3000K WD Flood DE Black Matt

Remark

- Tetrix Recessed Ring or Tube Surface not included
- This is not a complete product. Tetrix Recessed Ring or Tube Surface required.
- This is not a complete product. Tetrix Recessed Ring or Tube Surface required.




TM30 & CRI diagram






Light distribution & beam diagram







Optical Accessories




13515132 Honeycomb 33 Black Structure



13515038 Snoot 32 White Matt **13515032** Snoot 32 Black Structure




13515232 Light Cone 44 Black Structure 13515238 Light Cone 44 White Matt




13515332 Light Cone 64 Black Structure Light Cone 64 White Matt

Installation Accessories




13510083 Ring Recessed 62 1x IP55 Black Matt13510038 Ring Recessed 62 1x IP55 White Matt







13515430 Ring Recessed Trimless 62 1x




13515530 Concrete Kit 62 150x150 1x



13515630 Concrete Ring 62 Standard Installation Housing




12293230 Plaster Kit Trimless 150x150 - 62 1x



11624030 Installation Housing 140x250x100x210





12292630 Gypsum Fibreboard 150x150

Choose a required accessory