



Date
Customer
Project
Type

*Geometry Suspended Adjustable 672 1x LED 3000K DE White Structure - Silver Chrome*



### Specifications

Materiale	13750063
Tipo di Sorgente	LED
Tipologia LED	GEOMETRY 24V LED DISC
Tecnologie LED	LED flessibile PCB
CRI	Min. 90
Temperatura di colore della luce	3000K
Vita utile	L80B10 @50.000 ore
Numero di fonte luminosa	1
Codice di flusso CIE	47 79 95 100 100
Binning (SDCM)	3
Direzione della luce	Indiretta, Diretta
Ottiche	Foglio ottico
Fascio misurato (°)	112,0
Volt in ingresso	24Vdc
Classificazione elettrica	III
Grado IP	20
Test filo a caldo (°C)	650
Interno/Esterno	Interno
Applicazione	Soffitto
Montaggio	Sospeso
Distanza dall'oggetto illuminato (m)	0,1
Colore primario & Finitura primaria	Bianco, Strutturata
Colore secondario & Finitura secondaria	Argento, Cromato
Peso lordo (g)	13700,0
Flusso luminoso per lampade (lm)	2317
Efficienza (lm/W)	110
Livello abbagliamento	20

Geometry è un apparecchio illuminante sospeso che offre un'illuminazione generale. Il suo pannello luminoso può ruotare di 360° intorno a un asse, nascosto da una cornice rotonda o quadrata. Il bello di questa rotazione completa è che permette di passare dalla luce diretta a quella indiretta con un solo gesto. E, per chi vuole raddoppiare, c'è anche una cornice rettangolare che sostiene due pannelli. Goditi l'impossibile leggerezza di Geometry!

**TM30 & CRI diagram**




**Light distribution & beam diagram**



**Accessori Installazione**



- **11060832** Suspension 4000 Geometry 672 (3) Black Structure
- **11060809** Suspension 4000 Geometry 672 (3) White Structure



- **13720009** Power Feed Canopy Recessed DE (Incl. Power Feed Cable 2000) White Structure
- **13720032** Power Feed Canopy Recessed DE (Incl. Power Feed Cable 2000) Black Structure




- **13720109** Power Feed Canopy Recessed DE (Incl. Power Feed Cable 6000) White Structure
- **13720132** Power Feed Canopy Recessed DE (Incl. Power Feed Cable 6000) Black Structure




- **13720209** Power Feed Canopy Surface DE (Incl. Power Feed Cable 2000) White Structure
- **13720232** Power Feed Canopy Surface DE (Incl. Power Feed Cable 2000) Black Structure



- **13720309** Power Feed Canopy Surface DE (Incl. Power Feed Cable 6000) White Structure
- **13720332** Power Feed Canopy Surface DE (Incl. Power Feed Cable 6000) Black Structure



**13750000** Connection Mechanical Geometry



- 11060909** Suspension 8000 Geometry 672 (3) White Structure
- 11060932** Suspension 8000 Geometry 672 (3) Black Structure

Choose a required accessory