


Date	
Customer	
Project	
Гуре	

Thimble Recessed Trimless 70 1x IP55 LED 3000K Spot DE Bronze Brushed Anodised



Minimalistic design, subtle curves, revealing colours, high-quality lens and LED. With its deep-recessed and glare-free light source, Thimble's clean and seamless execution makes it a quiet yet sophisticated choice for high-end residential or hospitality settings. This versatile, elegant architectural downlighter brings pure form, definition and quality light without stealing all the attention.





a			c·			
Ν	ne	C11	11C	ati	10	ns
\sim $_{I}$	ρ •	٠.,	•	•		

Material	11622382				
Light Source Type	LED				
LED Type	CITIZEN CLU7A3				
LED technology	LED COB				
CRI	Min. 90				
Colour Temperature	3000K				
Lifetime	L90B10 @50,000 Hours				
Lamp Included	Yes				
Number of Light Sources	1				
CIE flux code	100 100 100 100 40				
Binning (SDCM)	2				
Light Direction	Down				
Optic	Lens				
Measured beam angle (°)	16.0				
Input Voltage	Constant C	Current Driver Required			
Electrical Class	III				
IP Rating	55				
Glow wire rating (°C)	960				
Indoor/Outdoor	Indoor				
Application	Ceiling				
Mounting	Recessed				
Cut-out size (mm)	ø111				
Mounting depth (mm)	110.0				
Distance to Lighted Object (m)	0,1				
Primary Colour & Primary Finish	Bronze, Brushed Anodised				
Gross weight (g)	215.0				
Drive current (mA)	350	500			
Min. forward voltage (Vf)	11,2	11,2			
Max. forward voltage (Vf)	13,2	13,2			
Connected load (W)	4,1	6,1			
Luminous flux per lamp (lm)	210	283			
Efficacy (Im/W)	51	46			
Glare rating	0	0			




TM30 & CRI diagram






Light distribution & beam diagram






Installation Accessories




11624230 Concrete Kit 70 150x150 1x




11624430 Concrete Ring 70 Standard Installation Housing



11624030 Installation Housing 140x250x100x210




12292630 Gypsum Fibreboard 150x150



11624730 Ring Recessed Trimless 70 1x





12293630 Plaster Kit Trimless 150x150 - 70 1x

Choose a required accessory