



Date
Customer
Project
Type

*Extruded Stripped Suspended 46 300 1x LED 2700K Flood DE Black Anodised*



**Specifications**


Material	13790081
Light Source Type	LED
LED Type	BRIDGELUX V6 HD G8
LED technology	LED COB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B10 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	96 100 100 100 79
Binning (SDCM)	2
Light Direction	Down
Optic	Reflector
Measured beam angle (°)	43.0
Input Voltage	Constant Current Driver Required
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling
Mounting	Suspended
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Anodised
Gross weight (g)	927.0
Drive current (mA)	350      500
Min. forward voltage (Vf)	15.4      15.8
Max. forward voltage (Vf)	18.8      19.4
Connected load (W)	6.0      8.8
Luminous flux per lamp (lm)	577      779
Efficacy (lm/W)	96      89
Glare rating	23      25

Strong lines that blend. Extruded Stripped is a contemporary design that harmonizes smoothly with its environment. This new family welcomes statement and stillness in a very minimalist look.

**TM30 & CRI diagram**




**Light distribution & beam diagram**




Diagrams


**Installation Accessories**




- 13570709** Suspension Point Kompas White Structure
- 13570732** Suspension Point Kompas Black Structure



- 13791032** Power Feed and Suspension Canopy Semi-Recessed Round 2P Extruded Stripped DE Black Structure
- 13791036** Power Feed and Suspension Canopy Semi-Recessed Round 2P Extruded Stripped DE Grey White Structure



- 13791132** Power Feed and Suspension Canopy Surface Round 2P Extruded Stripped DE Black Structure
- 13791136** Power Feed and Suspension Canopy Surface Round 2P Extruded Stripped DE Grey White Structure



- 13791232** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 350mA Black Structure
- 13791236** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 350mA Grey White Structure
- 13791332** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 350mA Black Structure
- 13791336** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 350mA Grey White Structure
- 13791432** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 500mA Black Structure
- 13791436** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 500mA Grey White Structure
- 13791532** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 500mA Black Structure
- 13791536** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 500mA Grey White Structure

- 13570632** Kompas Round Surface 340 DE Black Structure
- 13571209** Kompas Round Surface 340 50W 1-10V DI 500mA White Structure
- 13571232** Kompas Round Surface 340 50W 1-10V DI 500mA Black Structure
- 13571309** Kompas Round Surface 340 50W DALI DI 500mA White Structure
- 13571332** Kompas Round Surface 340 50W DALI DI 500mA Black Structure

---

<b>13571409</b>	Kompas Round Surface 340 100W Casambi DI 350mA White Structure
<b>13571432</b>	Kompas Round Surface 340 100W Casambi DI 350mA Black Structure
<b>13571509</b>	Kompas Round Surface 340 100W Casambi DI 500mA White Structure
<b>13571532</b>	Kompas Round Surface 340 100W Casambi DI 500mA Black Structure
<b>13571609</b>	Kompas Round Surface 340 50W Casambi DI 350mA White Structure
<b>13571632</b>	Kompas Round Surface 340 50W Casambi DI 350mA Black Structure
<b>13571709</b>	Kompas Round Surface 340 50W Casambi DI 500mA White Structure
<b>13571732</b>	Kompas Round Surface 340 50W Casambi DI 500mA Black Structure
<b>13570009</b>	Kompas Round Surface 340 60W Trailing Edge DI 350mA White Structure
<b>13570032</b>	Kompas Round Surface 340 60W Trailing Edge DI 350mA Black Structure
<b>13570132</b>	Kompas Round Surface 340 100W 1-10V DI 350mA Black Structure
<b>13570209</b>	Kompas Round Surface 340 100W DALI DI 350mA White Structure
<b>13570232</b>	Kompas Round Surface 340 100W DALI DI 350mA Black Structure
<b>13570309</b>	Kompas Round Surface 340 60W Trailing Edge DI 500mA White Structure
<b>13570332</b>	Kompas Round Surface 340 60W Trailing Edge DI 500mA Black Structure
<b>13570409</b>	Kompas Round Surface 340 100W 1-10V DI 500mA White Structure
<b>13570432</b>	Kompas Round Surface 340 100W 1-10V DI 500mA Black Structure
<b>13570509</b>	Kompas Round Surface 340 100W DALI DI 500mA White Structure
<b>13570532</b>	Kompas Round Surface 340 100W DALI DI 500mA Black Structure
<b>13570609</b>	Kompas Round Surface 340 DE White Structure
<b>13570809</b>	Kompas Round Surface 340 30W Trailing Edge DI 350mA White Structure
<b>13570832</b>	Kompas Round Surface 340 30W Trailing Edge DI 350mA Black Structure
<b>13570909</b>	Kompas Round Surface 340 50W 1-10V DI 350mA White Structure
<b>13570932</b>	Kompas Round Surface 340 50W 1-10V DI 350mA Black Structure
<b>13571009</b>	Kompas Round Surface 340 50W DALI DI 350mA White Structure
<b>13571032</b>	Kompas Round Surface 340 50W DALI DI 350mA Black Structure
<b>13571109</b>	Kompas Round Surface 340 30W Trailing Edge DI 500mA White Structure
<b>13571132</b>	Kompas Round Surface 340 30W Trailing Edge DI 500mA Black Structure
<b>13570109</b>	Kompas Round Surface 340 100W 1-10V DI 350mA White Structure

Choose a required accessory