


Date
Customer
Project
Type

Extruded Stripped Suspended 46 300 1x LED 2700K Flood DE Bronze Anodised



Specifications


Material	13790082
Light Source Type	LED
LED Type	BRIDGELUX V6 HD G8
LED technology	LED COB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B10 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	96 100 100 100 79
Binning (SDCM)	2
Light Direction	Down
Optic	Reflector
Measured beam angle (°)	43.0
Input Voltage	Constant Current Driver Required
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling
Mounting	Suspended
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Bronze, Anodised
Gross weight (g)	927.0
Drive current (mA)	350 500
Min. forward voltage (Vf)	15,4 15,8
Max. forward voltage (Vf)	18,8 19,4
Connected load (W)	6,0 8,8
Luminous flux per lamp (lm)	577 779
Efficacy (lm/W)	96 89
Glare rating	23 25

Strong lines that blend. Extruded Stripped is a contemporary design that harmonizes smoothly with its environment. This new family welcomes statement and stillness in a very minimalist look.

TM30 & CRI diagram




Light distribution & beam diagram




Diagrams


Installation Accessories




- 13570709** Suspension Point Kompas White Structure
- 13570732** Suspension Point Kompas Black Structure



- 13791032** Power Feed and Suspension Canopy Semi-Recessed Round 2P Extruded Stripped DE Black Structure
- 13791036** Power Feed and Suspension Canopy Semi-Recessed Round 2P Extruded Stripped DE Grey White Structure



- 13791132** Power Feed and Suspension Canopy Surface Round 2P Extruded Stripped DE Black Structure
- 13791136** Power Feed and Suspension Canopy Surface Round 2P Extruded Stripped DE Grey White Structure



- 13791232** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 350mA Black Structure
- 13791236** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 350mA Grey White Structure
- 13791332** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 350mA Black Structure
- 13791336** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 350mA Grey White Structure
- 13791432** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 500mA Black Structure
- 13791436** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 500mA Grey White Structure
- 13791532** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 500mA Black Structure
- 13791536** Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 500mA Grey White Structure

- 13570632** Kompas Round Surface 340 DE Black Structure
- 13571209** Kompas Round Surface 340 50W 1-10V DI 500mA White Structure
- 13571232** Kompas Round Surface 340 50W 1-10V DI 500mA Black Structure
- 13571309** Kompas Round Surface 340 50W DALI DI 500mA White Structure
- 13571332** Kompas Round Surface 340 50W DALI DI 500mA Black Structure

13571409	Kompas Round Surface 340 100W Casambi DI 350mA White Structure
13571432	Kompas Round Surface 340 100W Casambi DI 350mA Black Structure
13571509	Kompas Round Surface 340 100W Casambi DI 500mA White Structure
13571532	Kompas Round Surface 340 100W Casambi DI 500mA Black Structure
13571609	Kompas Round Surface 340 50W Casambi DI 350mA White Structure
13571632	Kompas Round Surface 340 50W Casambi DI 350mA Black Structure
13571709	Kompas Round Surface 340 50W Casambi DI 500mA White Structure
13571732	Kompas Round Surface 340 50W Casambi DI 500mA Black Structure
13570009	Kompas Round Surface 340 60W Trailing Edge DI 350mA White Structure
13570032	Kompas Round Surface 340 60W Trailing Edge DI 350mA Black Structure
13570132	Kompas Round Surface 340 100W 1-10V DI 350mA Black Structure
13570209	Kompas Round Surface 340 100W DALI DI 350mA White Structure
13570232	Kompas Round Surface 340 100W DALI DI 350mA Black Structure
13570309	Kompas Round Surface 340 60W Trailing Edge DI 500mA White Structure
13570332	Kompas Round Surface 340 60W Trailing Edge DI 500mA Black Structure
13570409	Kompas Round Surface 340 100W 1-10V DI 500mA White Structure
13570432	Kompas Round Surface 340 100W 1-10V DI 500mA Black Structure
13570509	Kompas Round Surface 340 100W DALI DI 500mA White Structure
13570532	Kompas Round Surface 340 100W DALI DI 500mA Black Structure
13570609	Kompas Round Surface 340 DE White Structure
13570809	Kompas Round Surface 340 30W Trailing Edge DI 350mA White Structure
13570832	Kompas Round Surface 340 30W Trailing Edge DI 350mA Black Structure
13570909	Kompas Round Surface 340 50W 1-10V DI 350mA White Structure
13570932	Kompas Round Surface 340 50W 1-10V DI 350mA Black Structure
13571009	Kompas Round Surface 340 50W DALI DI 350mA White Structure
13571032	Kompas Round Surface 340 50W DALI DI 350mA Black Structure
13571109	Kompas Round Surface 340 30W Trailing Edge DI 500mA White Structure
13571132	Kompas Round Surface 340 30W Trailing Edge DI 500mA Black Structure
13570109	Kompas Round Surface 340 100W 1-10V DI 350mA White Structure

Choose a required accessory