


Date
Customer
Project
Type

Extruded Stripped Suspended 46 600 1x LED 2700K Flood DE Black Anodised





Strong lines that blend. Extruded Stripped is a contemporary design that harmonizes smoothly with its environment. This new family welcomes statement and stillness in a very minimalist look.




Specifications

Material	13790381
Light Source Type	LED
LED Type	BRIDGELUX V6 HD G8
LED technology	LED COB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B10 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	96 100 100 100 79
Binning (SDCM)	2
Light Direction	Down
Optic	Reflector
Measured beam angle (°)	43.0
Input Voltage	Constant Current Driver Required
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling
Mounting	Suspended
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Anodised
Gross weight (g)	1542.0
Drive current (mA)	350 500
Min. forward voltage (Vf)	15,4 15,8
Max. forward voltage (Vf)	18,8 19,4
Connected load (W)	6,0 8,8
Luminous flux per lamp (lm)	577 779
Efficacy (lm/W)	96 89
Glare rating	23 25


TM30 & CRI diagram




Light distribution & beam diagram




Installation Accessories




- 13570709** Suspension Point Kompas White Structure
13570732 Suspension Point Kompas Black Structure



- 13791032** Power Feed and Suspension Canopy Semi-Recessed Round 2P Extruded Stripped DE Black Structure
13791036 Power Feed and Suspension Canopy Semi-Recessed Round 2P Extruded Stripped DE Grey White Structure



- 13791132** Power Feed and Suspension Canopy Surface Round 2P Extruded Stripped DE Black Structure
13791136 Power Feed and Suspension Canopy Surface Round 2P Extruded Stripped DE Grey White Structure



- 13791232** Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 350mA Black Structure
13791236 Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 350mA Grey White Structure
13791332 Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 350mA Black Structure
13791336 Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 350mA Grey White Structure
13791432 Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 500mA Black Structure
13791436 Power Feed and Suspension Canopy Surface Round Extruded Stripped Trailing Edge DI 500mA Grey White Structure
13791532 Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 500mA Black Structure
13791536 Power Feed and Suspension Canopy Surface Round Extruded Stripped DALI/Push-Dim DI 500mA Grey White Structure

- 13570632** Kompas Round Surface 340 DE Black Structure
13571209 Kompas Round Surface 340 50W 1-10V DI 500mA White Structure
13571232 Kompas Round Surface 340 50W 1-10V DI 500mA Black Structure
13571309 Kompas Round Surface 340 50W DALI DI 500mA White Structure
13571332 Kompas Round Surface 340 50W DALI DI 500mA Black Structure

13571409	Kompas Round Surface 340 100W Casambi DI 350mA White Structure
13571432	Kompas Round Surface 340 100W Casambi DI 350mA Black Structure
13571509	Kompas Round Surface 340 100W Casambi DI 500mA White Structure
13571532	Kompas Round Surface 340 100W Casambi DI 500mA Black Structure
13571609	Kompas Round Surface 340 50W Casambi DI 350mA White Structure
13571632	Kompas Round Surface 340 50W Casambi DI 350mA Black Structure
13571709	Kompas Round Surface 340 50W Casambi DI 500mA White Structure
13571732	Kompas Round Surface 340 50W Casambi DI 500mA Black Structure
13570009	Kompas Round Surface 340 60W Trailing Edge DI 350mA White Structure
13570032	Kompas Round Surface 340 60W Trailing Edge DI 350mA Black Structure
13570132	Kompas Round Surface 340 100W 1-10V DI 350mA Black Structure
13570209	Kompas Round Surface 340 100W DALI DI 350mA White Structure
13570232	Kompas Round Surface 340 100W DALI DI 350mA Black Structure
13570309	Kompas Round Surface 340 60W Trailing Edge DI 500mA White Structure
13570332	Kompas Round Surface 340 60W Trailing Edge DI 500mA Black Structure
13570409	Kompas Round Surface 340 100W 1-10V DI 500mA White Structure
13570432	Kompas Round Surface 340 100W 1-10V DI 500mA Black Structure
13570509	Kompas Round Surface 340 100W DALI DI 500mA White Structure
13570532	Kompas Round Surface 340 100W DALI DI 500mA Black Structure
13570609	Kompas Round Surface 340 DE White Structure
13570809	Kompas Round Surface 340 30W Trailing Edge DI 350mA White Structure
13570832	Kompas Round Surface 340 30W Trailing Edge DI 350mA Black Structure
13570909	Kompas Round Surface 340 50W 1-10V DI 350mA White Structure
13570932	Kompas Round Surface 340 50W 1-10V DI 350mA Black Structure
13571009	Kompas Round Surface 340 50W DALI DI 350mA White Structure
13571032	Kompas Round Surface 340 50W DALI DI 350mA Black Structure
13571109	Kompas Round Surface 340 30W Trailing Edge DI 500mA White Structure
13571132	Kompas Round Surface 340 30W Trailing Edge DI 500mA Black Structure
13570109	Kompas Round Surface 340 100W 1-10V DI 350mA White Structure

 Choose a required accessory