

---

Date

---

Customer

---


Project

---

Type

---

*Nomad Surface Adjustable 4x AR111 DE White Structure*



**Specifications**

Material	10201009
Light Source Type	AR111
Lamp Included	No
Number of Light Sources	4
Light Direction	Down
Input Voltage	12Vac
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Surface
Adjustability	GIMBLE 45°
Distance to Lighted Object (m)	1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	1580.0

Like industrial design with a retro touch? Revisit Nomad. Now sporting tiny new drivers, and a LED unit that looks exactly like the luminaire's first halogen bulb, Nomad LED respects the original design to perfection. Available in versions with 2L and 4L light units, in white structure, black or aluminium, with or without integrated gear. The sweetheart of architects is back for your next project.

**Light distribution & beam diagram**



**M-LED Module**




- 11298002** M-LED Module 111 1x LED 2700K Spot DE Black Matt
- 11298009** M-LED Module 111 1x LED 2700K Spot DE White Structure
- 11298024** M-LED Module 111 1x LED 2700K Spot DE Aluminium Brushed Anodised
- 11298102** M-LED Module 111 1x LED 2700K Medium DE Black Matt
- 11298109** M-LED Module 111 1x LED 2700K Medium DE White Structure
- 11298124** M-LED Module 111 1x LED 2700K Medium DE Aluminium Brushed Anodised
- 11298202** M-LED Module 111 1x LED 2700K Flood DE Black Matt
- 11298209** M-LED Module 111 1x LED 2700K Flood DE White Structure
- 11298224** M-LED Module 111 1x LED 2700K Flood DE Aluminium Brushed Anodised
- 11298302** M-LED Module 111 1x LED 3000K Spot DE Black Matt
- 11298309** M-LED Module 111 1x LED 3000K Spot DE White Structure
- 11298324** M-LED Module 111 1x LED 3000K Spot DE Aluminium Brushed Anodised
- 11298402** M-LED Module 111 1x LED 3000K Medium DE Black Matt
- 11298409** M-LED Module 111 1x LED 3000K Medium DE White Structure
- 11298424** M-LED Module 111 1x LED 3000K Medium DE Aluminium Brushed Anodised
- 11298502** M-LED Module 111 1x LED 3000K Flood DE Black Matt
- 11298509** M-LED Module 111 1x LED 3000K Flood DE White Structure
- 11298524** M-LED Module 111 1x LED 3000K Flood DE Aluminium Brushed Anodised
- 11298602** M-LED Module 111 1x LED 4000K Spot DE Black Matt
- 11298609** M-LED Module 111 1x LED 4000K Spot DE White Structure
- 11298624** M-LED Module 111 1x LED 4000K Spot DE Aluminium Brushed Anodised
- 11298702** M-LED Module 111 1x LED 4000K Medium DE Black Matt
- 11298709** M-LED Module 111 1x LED 4000K Medium DE White Structure
- 11298724** M-LED Module 111 1x LED 4000K Medium DE Aluminium Brushed Anodised
- 11298802** M-LED Module 111 1x LED 4000K Flood DE Black Matt
- 11298809** M-LED Module 111 1x LED 4000K Flood DE White Structure
- 11298824** M-LED Module 111 1x LED 4000K Flood DE Aluminium Brushed Anodised

**Installation Accessories**



- 10203005** Baseflange 90 Aluminium Matt
- 10203009** Baseflange 90 White Structure
- 10203032** Baseflange 90 Black Structure



- 10204005** Baseflange 90 Tube Aluminium Matt
- 10204009** Baseflange 90 Tube White Structure
- 10204032** Baseflange 90 Tube Black Structure

Choose a required accessory