


Date
Customer
Project
Type

FFD_K 1 Recessed Adjustable 89 1x MR16 DE White Structure



Every project needs a spotlight for general lighting. K is our suggestion for those who like to keep things simple yet flexible. K comes in two sizes, 80 and 89 mm, with a flat or sloping edge, in aluminium, or with a white or black structure. Available with halogen and LED. Choose the directional model for a greater interplay of light and more versatility.




Specifications

Material	10270101
Light Source Type	MR16
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	12Vac
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø80
Mounting depth (mm)	90.0
Adjustability	H 359° V -17°/+17°
Distance to Lighted Object (m)	0,5
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	165.0
Remark	<ul style="list-style-type: none"> 12V halogen transformer required


Specifications

Light distribution & beam diagram




Diagrams

Optical Accessories



10280102 BL Ring 44 Black Matt

Installation Accessories



10889830 Installation Housing 192x190x130

12290230 Plaster Kit 190X190 - 80 1x

Choose a required accessory