



---

 Date \_\_\_\_\_  
 Customer \_\_\_\_\_  
 Project \_\_\_\_\_  
 Type \_\_\_\_\_  


---

FFD\_K 2 Recessed 80 1x MR16 DE Black Matt




### Specifications


Material	10270202
Light Source Type	MR16
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	12Vac
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø70
Mounting depth (mm)	90.0
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,5
Primary Colour & Primary Finish	Black, Matt
Gross weight (g)	115.0
Remark	• 12V halogen transformer required

Every project needs a spotlight for general lighting. K is our suggestion for those who like to keep things simple yet flexible. K comes in two sizes, 80ø and 89ø mm, with a flat or sloping edge, in aluminium, or with a white or black structure. Available with halogen and LED. Choose the directional model for a greater interplay of light and more versatility.

**Light distribution & beam diagram**




**Optical Accessories**




**10280102** BL Ring 44 Black Matt

**Installation Accessories**



**10889830** Installation Housing 192x190x130



**12290130** Plaster Kit 190X190 - 70 1x

Choose a required accessory