


Date
Customer
Project
Type

FFD_K 3 Recessed Adjustable 89 1x MR16 DE Black Matt




Specifications


Material	10270302
Light Source Type	MR16
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	12Vac
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø80
Mounting depth (mm)	90.0
Adjustability	H 359° V -17°/+17°
Distance to Lighted Object (m)	0,5
Primary Colour & Primary Finish	Black, Matt
Gross weight (g)	160.0
Remark	• 12V halogen transformer required

Every project needs a spotlight for general lighting. K is our suggestion for those who like to keep things simple yet flexible. K comes in two sizes, 80ø and 89ø mm, with a flat or sloping edge, in aluminium, or with a white or black structure. Available with halogen and LED. Choose the directional model for a greater interplay of light and more versatility.

Light distribution & beam diagram




Optical Accessories



10280102 BL Ring 44 Black Matt

Installation Accessories



10889830 Installation Housing 192x190x130

12290230 Plaster Kit 190X190 - 80 1x

Choose a required accessory