MODULAR LIGHTING — INSTRUMENTS

Date	
Customer	
Project	
Type	

FFD_K 2 Recessed 80 1x GU10 DE Black Matt





Every project needs a spotlight for general lighting. K is our suggestion for those who like to keep things simple yet flexible. K comes in two sizes, 80 and 89 mm, with a flat or sloping edge, in aluminium, or with a white or black structure. Available with halogen and LED. Choose the directional model for a greater interplay of light and more versatility.

Specifications

Material	10275202
Light Source Type	GU10
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	230V
Electrical Class	I
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø70
Mounting depth (mm)	150.0
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,5
Primary Colour & Primary Finish	Black, Matt
Gross weight (g)	180.0

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2025-09-12, 02:54:45 PM - ©Modular Lighting Instruments

Light distribution & beam diagram



Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2025-09-12, 02:54:45 PM - ©Modular Lighting Instruments

Optical Accessories



10280102 BL Ring 44 Black Matt

Installation Accessories



10889830 Installation Housing 192x190x130



12290130 Plaster Kit 190X190 - 70 1x

Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2025-09-12, 02:54:45 PM - ©Modular Lighting Instruments