



Date
Customer
Project
Type

FFD_Mini multiple trimless 2x LED retrofit 2700K medium black




Twenty years after its initial launch, Mini-Multiple is still a much coveted spot series and one of our flagship solutions in our architectural lighting portfolio. Its stylish technology on full display makes Mini-Multiple your ally for both minimalist and industrial-chic expressions.



Specifications


Material	11440102
Light Source Type	LED GU10
Colour Temperature	2700K
Lifetime	40,000 Hours
Lamp Included	Yes
Number of Light Sources	2
Light Direction	Down
Optic	Collimator
Input Voltage	230V
Luminaire power (W)	11.0
Electrical Class	II
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	Leading Edge
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	L 203 W 103
Mounting depth (mm)	130.0
Adjustability	V -35°/+35°
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Matt
Gross weight (g)	1580.0
Luminous flux per lamp (lm)	778
Efficacy (lm/W)	70
Glare rating	14
Remark	<ul style="list-style-type: none"> • GU10 lamp not included • This is not a complete product. GU10 lamp required. • This is not a complete product. Light module required.

Light distribution & beam diagram




Diagrams


Installation Accessories



12534002 Mini-Multiple Trimless Mounting Bracket Black



10460230 Plaster Kit Trimless 233x133 - 206x106 2x



10440230 Installation Housing 237x158x130

Choose a required accessory