


Date
Customer
Project
Type

## FFD\_Lotis Round Recessed 86 1x IP55 LED GU10 2700K Medium Leading Edge Black Structure




Lotis Round is a recessed spotlight with a slight trim. The hallmark of this luminaire is its deeply recessed cone, which holds the light source. Known for its effortless design and high functionality, Lotis Round comes in different diameters and with various types of light sources.

### Specifications

Material	11456208
Light Source Type	LED GU10
LED Type	PHILIPS MASTERLED GU10 5.5W
LED technology	LED high power
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B10 @25,000 Hours
Lamp Included	Yes
Number of Light Sources	1
Binning (SDCM)	3
Light Direction	Down
Optic	Collimator
Measured beam angle (°)	26.8
Input Voltage	230V
Luminaire power (W)	5.5
Electrical Class	II
IP Rating	55
Glow wire rating (°C)	960
Dimming Protocol	Leading Edge
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø79
Mounting depth (mm)	135.0
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Structure
Gross weight (g)	305.0
Luminous flux per lamp (lm)	323
Efficacy (lm/W)	58
Glare rating	8
Remark	<ul style="list-style-type: none"> <li>This is not a complete product. Light module required.</li> </ul>


Light distribution & beam diagram



Diagrams

### **Installation Accessories**

**12290230** Plaster Kit 190X190 - 80 1x



**10889830** Installation Housing 192x190x130

Choose a required accessory