


|         |
|---------|
| Datum   |
| Klant   |
| Project |
| Soort   |

## Minude Jack Adjustable 45 1x LED 2700K Medium DE Black Structure




Minudes yogische flexibiliteit zal je al evenzeer verrassen als zijn naakte, cilindervormige ontwerp. Voor een geraffineerde en minimalistische look op de muur, op een hoog of laag plafond. Probeer meer dan één Minude op onze Pista rail of op onze herontworpen Modupoint LED. De lange reeks kleuren en het kleine formaat laten een grote indruk achter.




### Specificaties

|                                     |                                                                                                                                                                             |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Materiaal                           | 11463032                                                                                                                                                                    |
| Type Lichtbron                      | LED                                                                                                                                                                         |
| LED type                            | BRIDGELUX V6 HD G7                                                                                                                                                          |
| LED technologie                     | Led-COB                                                                                                                                                                     |
| CRI                                 | Min. 90                                                                                                                                                                     |
| Kleurtemperatuur                    | 2700K                                                                                                                                                                       |
| Levensduur                          | L80B10 bij 50.000 Uur                                                                                                                                                       |
| Lamp inbegrepen                     | Ja                                                                                                                                                                          |
| Aantal Lichtbronnen                 | 1                                                                                                                                                                           |
| CIE-fluxcode                        | 100 100 100 100 60                                                                                                                                                          |
| Binning (SDCM)                      | 2                                                                                                                                                                           |
| Lichtrichting                       | Omlaag                                                                                                                                                                      |
| Optisch                             | Lens                                                                                                                                                                        |
| Gemeten gradenbundel (°)            | 28,9                                                                                                                                                                        |
| Ingangsspanning                     | Aandrijving Gelijkstroom Vereist                                                                                                                                            |
| Elektriciteitsklasse                | III                                                                                                                                                                         |
| IP-klasse                           | 20                                                                                                                                                                          |
| Gloeidraadtest (°C)                 | 960                                                                                                                                                                         |
| Binnen/Buiten                       | Binnen                                                                                                                                                                      |
| Toepassing                          | Plafond, Wand                                                                                                                                                               |
| Verstelbaarheid                     | H 360° V 0°/+90°                                                                                                                                                            |
| Afstand tot Verlicht Voorwerp (m)   | 0,1                                                                                                                                                                         |
| Primaire Kleur & Primaire Afwerking | Zwart, Structuur                                                                                                                                                            |
| Brutogewicht (g)                    | 258,0                                                                                                                                                                       |
| Stroom driver (mA)                  | 350 500                                                                                                                                                                     |
| Min. forward voltage (Vf)           | 14,8 15,2                                                                                                                                                                   |
| Max. forward voltage (Vf)           | 18,0 18,6                                                                                                                                                                   |
| Connected load (W)                  | 5,7 8,5                                                                                                                                                                     |
| Lumenoutput per lampunit (lm)       | 429 579                                                                                                                                                                     |
| Efficiëntie (lm/W)                  | 75 68                                                                                                                                                                       |
| UGR                                 | 1 1                                                                                                                                                                         |
| Opmerking                           | <ul style="list-style-type: none"> <li>• 3500K en 4000K op verzoek</li> <li>• Dit is geen compleet product. Modupoint Round of Modupoint Square systeem vereist.</li> </ul> |


## TM30 & CRI Diagrammen




## Lichtspreading & Stralingsdiagram




## Decoratieve Accessoires




**13240009** Stick Modupoint 100 White Structure  
**13240032** Stick Modupoint 100 Black Structure




**13240109** Stick Modupoint 200 White Structure  
**13240132** Stick Modupoint 200 Black Structure




**13240209** Stick Modupoint 300 White Structure  
**13240232** Stick Modupoint 300 Black Structure



**13242509** Stick Modupoint 600 White Structure  
**13242532** Stick Modupoint 600 Black Structure




**13242632** Stick Modupoint 900 Black Structure  
**13242609** Stick Modupoint 900 White Structure




**13242732** Stick Modupoint 1200 Black Structure

**13242709** Stick Modupoint 1200 White Structure




**13242832** Stick Modupoint 1500 Black Structure

**13242809** Stick Modupoint 1500 White Structure



**13242209** Stick Modupoint Curved 90° White Structure


**13242232** Stick Modupoint Curved 90° Black Structure



**13242309** Stick Modupoint Curved 180° White Structure


**13242332** Stick Modupoint Curved 180° Black Structure

## *Installatie Accessoires*




**13240509** Modupoint Round Deep Recessed 90 1x DE White Structure


**13240532** Modupoint Round Deep Recessed 90 1x DE Black Structure




- **13240609** Modupoint Round Deep Recessed Trimless 82 1x DE White Structure
- **13240632** Modupoint Round Deep Recessed Trimless 82 1x DE Black Structure




- **13240709** Modupoint Round Deep Recessed 90 2x DE White Structure
- **13240732** Modupoint Round Deep Recessed 90 2x DE Black Structure




- **13240809** Modupoint Round Deep Recessed Trimless 82 2x DE White Structure
- **13240832** Modupoint Round Deep Recessed Trimless 82 2x DE Black Structure
- **13242009** Modupoint Round Surface 45 1x DE White Structure
- **13242084** Modupoint Round Surface 45 1x DE Silver Bronze Brushed Anodised
- **13242032** Modupoint Round Surface 45 1x DE Black Structure
- **13242041** Modupoint Round Surface 45 1x DE Champagne Brushed Anodised
- **13242081** Modupoint Round Surface 45 1x DE Black Brushed Anodised
- **13242082** Modupoint Round Surface 45 1x DE Bronze Brushed Anodised
- **13242080** Modupoint Round Surface 45 1x DE Black Chrome
- **13242004** Modupoint Round Surface 45 1x DE Cast Grey Matt




- **13490009** Modupoint Square Surface 320X58 2x Jack Trailing Edge DI 500mA White Structure
- **13490032** Modupoint Square Surface 320X58 2x Jack Trailing Edge DI 500mA Black Structure
- **13490109** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD Trailing Edge DI 350mA White Structure
- **13490132** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD Trailing Edge DI 350mA Black Structure
- **13490209** Modupoint Square Surface 320X58 2x Jack 1-10V DI 500mA White Structure
- **13490232** Modupoint Square Surface 320X58 2x Jack 1-10V DI 500mA Black Structure
- **13490309** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD 1-10V DI 350mA White Structure
- **13490332** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD 1-10V DI 350mA Black Structure
- **13490409** Modupoint Square Surface 320X58 2x Jack DALI/Push-Dim DI 500mA White Structure
- **13490432** Modupoint Square Surface 320X58 2x Jack DALI/Push-Dim DI 500mA Black Structure
- **13490509** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD DALI/Push-Dim DI 350mA White Structure
- **13490532** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD DALI/Push-Dim DI 350mA Black Structure
- **13493009** Modupoint Square Surface 320X58 2x Jack Casambi DI 500mA White Structure
- **13493109** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD Casambi DI 350mA White Structure
- **13493032** Modupoint Square Surface 320X58 2x Jack Casambi DI 500mA Black Structure
- **13493132** Modupoint Square Surface 320X58 2x Jack 1800-3000K WD Casambi DI 350mA Black Structure




- **13491009** Modupoint Square Surface 420X58 3x Jack Trailing Edge DI 500mA White Structure
- **13491032** Modupoint Square Surface 420X58 3x Jack Trailing Edge DI 500mA Black Structure
- **13491109** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD Trailing Edge DI 350mA White Structure
- **13491132** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD Trailing Edge DI 350mA Black Structure
- **13491209** Modupoint Square Surface 420X58 3x Jack 1-10V DI 500mA White Structure
- **13491232** Modupoint Square Surface 420X58 3x Jack 1-10V DI 500mA Black Structure
- **13491309** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD 1-10V DI 350mA White Structure
- **13491332** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD 1-10V DI 350mA Black Structure
- **13491409** Modupoint Square Surface 420X58 3x Jack DALI/Push-Dim DI 500mA White Structure
- **13491432** Modupoint Square Surface 420X58 3x Jack DALI/Push-Dim DI 500mA Black Structure
- **13491509** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD DALI/Push-Dim DI 350mA White Structure
- **13491532** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD DALI/Push-Dim DI 350mA Black Structure
- **13494009** Modupoint Square Surface 420X58 3x Jack Casambi DI 500mA White Structure
- **13494109** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD Casambi DI 350mA White Structure
- **13494032** Modupoint Square Surface 420X58 3x Jack Casambi DI 500mA Black Structure
- **13494132** Modupoint Square Surface 420X58 3x Jack 1800-3000K WD Casambi DI 350mA Black Structure




- **13492009** Modupoint Round Surface 200 3x Jack Trailing Edge DI 500mA White Structure
- **13492109** Modupoint Round Surface 200 3x Jack 1800-3000K WD Trailing Edge DI 350mA White Structure
- **13492032** Modupoint Round Surface 200 3x Jack Trailing Edge DI 500mA Black Structure
- **13492209** Modupoint Round Surface 200 3x Jack 1-10V DI 500mA White Structure
- **13492132** Modupoint Round Surface 200 3x Jack 1800-3000K WD Trailing Edge DI 350mA Black Structure
- **13492309** Modupoint Round Surface 200 3x Jack 1800-3000K WD 1-10V DI 350mA White Structure
- **13492232** Modupoint Round Surface 200 3x Jack 1-10V DI 500mA Black Structure
- **13492409** Modupoint Round Surface 200 3x Jack DALI/Push-Dim DI 500mA White Structure
- **13492332** Modupoint Round Surface 200 3x Jack 1800-3000K WD 1-10V DI 350mA Black Structure
- **13492509** Modupoint Round Surface 200 3x Jack 1800-3000K WD DALI/Push-Dim DI 350mA White Structure
- **13492432** Modupoint Round Surface 200 3x Jack DALI/Push-Dim DI 500mA Black Structure
- **13492532** Modupoint Round Surface 200 3x Jack 1800-3000K WD DALI/Push-Dim DI 350mA Black Structure
- **13495009** Modupoint Round Surface 200 3x Jack Casambi DI 500mA White Structure
- **13495032** Modupoint Round Surface 200 3x Jack Casambi DI 500mA Black Structure
- **13495109** Modupoint Round Surface 200 3x Jack 1800-3000K WD Casambi DI 350mA White Structure
- **13495132** Modupoint Round Surface 200 3x Jack 1800-3000K WD Casambi DI 350mA Black Structure



- **13240309** Modupoint Round Recessed 45 1x DE White Structure
- **13240332** Modupoint Round Recessed 45 1x DE Black Structure



- **13240400** Modupoint Round Recessed Trimless 10 1x DE



- **13242132** Modupoint Round Panel Mount Recessed 17 1x DE Black Structure
- **13242109** Modupoint Round Panel Mount Recessed 17 1x DE White Structure

■ Kies een vereist accessoire