


| Date | |
|----------|--|
| Customer | |
| Project | |
| Гуре | |

Smart Cake Recessed 82 1x LED 2700K Medium DE Gold Matt



The 3 original designs, Smart Kup, Lotis and Cake still manage to steal the hearts of interior designers. And this goes for the entire Smart family. Smart's accessibility and extreme versatility are arguably fit for any expression. Mix and match accent lighting, up and downlight, fixed or adjustable, a mosaic of shapes, sizes, colours and mounting options, and create a playful installation.



Specifications




| Specifications | | | | | |
|---------------------------------|----------------------------------|------|------|--|--|
| Material | 12411046 | | | | |
| Light Source Type | LED | | | | |
| LED Type | BRIDGELUX V8G8 | | | | |
| LED technology | LED COB | | | | |
| CRI | Min. 90 | | | | |
| Colour Temperature | 2700K | | | | |
| Lifetime | L80B10 @50,000 Hours | | | | |
| Lamp Included | Yes | | | | |
| Number of Light Sources | 1 | | | | |
| Binning (SDCM) | 2 | | | | |
| Light Direction | Down | | | | |
| Optic | Reflector | | | | |
| Measured beam angle (°) | 21.0 | | | | |
| Input Voltage | Constant Current Driver Required | | | | |
| Electrical Class | III | | | | |
| IP Rating | 20 | | | | |
| Glow wire rating (°C) | 960 | | | | |
| Indoor/Outdoor | Indoor | | | | |
| Application | Ceiling, Wall | | | | |
| Mounting | Recessed | | | | |
| Cut-out size (mm) | ø70 | | | | |
| Mounting depth (mm) | 100.0 | | | | |
| Adjustability | Not Applicable | | | | |
| Distance to Lighted Object (m) | 0,1 | | | | |
| Primary Colour & Primary Finish | Gold, Matt | | | | |
| Gross weight (g) | 260.0 | | | | |
| Drive current (mA) | 350 | 500 | 700 | | |
| Min. forward voltage (Vf) | 13,2 | 13,7 | 14,2 | | |
| Max. forward voltage (Vf) | 15,0 | 15,4 | 16,0 | | |
| Connected load (W) | 5,0 | 7,2 | 10,6 | | |
| Delivered lumens (Im) | 491 | 659 | 847 | | |
| Efficacy (Im/W) | 98 | 92 | 80 | | |
| Glare rating | 16 | 17 | 19 | | |
| Remark | Remark • 3500K on request | | | | |




TM30 & CRI diagram






Light distribution & beam diagram






Decorative Accessories




12500032Mask Smart 82 1x Black Structure12500009Mask Smart 82 1x White Structure12500046Mask Smart 82 1x Gold Matt

12500015 Mask Smart 82 1x Champagne Brushed
12500014 Mask Smart 82 1x Bronze Brushed
12500043 Mask Smart 82 1x Black Brushed
12500016 Mask Smart 82 1x Silver Bronze Brushed




12500109Mask Smart 82 2x White Structure12500132Mask Smart 82 2x Black Structure12500146Mask Smart 82 2x Gold Matt12500114Mask Smart 82 2x Bronze Brushed12500116Mask Smart 82 2x Silver Bronze Brushed12500115Mask Smart 82 2x Champagne Brushed12500143Mask Smart 82 2x Black Brushed

Installation Accessories




10889830 Installation Housing 192x190x130




12290130 Plaster Kit 190X190 - 70 1x





12291030 Plaster Kit 210x190 - 70 2x



12500230 Ring Recessed 82 1x

Choose a required accessory