


Smart Lotis Recessed 82 1x GU10 Gold Matt




Specifications

| | |
|---------------------------------|----------------------|
| Material | 12450146 |
| Light Source Type | GU10 |
| Lifetime | L80B20 @50,000 Hours |
| Lamp Included | No |
| Number of Light Sources | 1 |
| Light Direction | Down |
| Optic | Reflector |
| Input Voltage | 230V |
| Electrical Class | I |
| IP Rating | 20 |
| Glow wire rating (°C) | 960 |
| Indoor/Outdoor | Indoor |
| Application | Ceiling, Wall |
| Mounting | Recessed |
| Cut-out size (mm) | ø70 |
| Mounting depth (mm) | 110.0 |
| Adjustability | Not Applicable |
| Distance to Lighted Object (m) | 0,5 |
| Primary Colour & Primary Finish | Gold, Matt |
| Gross weight (g) | 170.0 |

The 3 original designs, Smart Kup, Lotis and Cake still manage to steal the hearts of interior designers. And this goes for the entire Smart family. Smart's accessibility and extreme versatility are arguably fit for any expression. Mix and match accent lighting, up and downlight, fixed or adjustable, a mosaic of shapes, sizes, colours and mounting options, and create a playful installation.

Light distribution & beam diagram



Decorative Accessories



- 12500032** Mask Smart 82 1x Black Structure
- 12500009** Mask Smart 82 1x White Structure
- 12500046** Mask Smart 82 1x Gold Matt
- 12500015** Mask Smart 82 1x Champagne Brushed
- 12500014** Mask Smart 82 1x Bronze Brushed
- 12500043** Mask Smart 82 1x Black Brushed
- 12500016** Mask Smart 82 1x Silver Bronze Brushed



- 12500109** Mask Smart 82 2x White Structure
- 12500132** Mask Smart 82 2x Black Structure
- 12500146** Mask Smart 82 2x Gold Matt
- 12500114** Mask Smart 82 2x Bronze Brushed
- 12500116** Mask Smart 82 2x Silver Bronze Brushed
- 12500115** Mask Smart 82 2x Champagne Brushed
- 12500143** Mask Smart 82 2x Black Brushed

Installation Accessories



- 10889830** Installation Housing 192x190x130



- 12290130** Plaster Kit 190X190 - 70 1x



12291030 Plaster Kit 210x190 - 70 2x



12500230 Ring Recessed 82 1x

Choose a required accessory