MODULAR LIGHTING — INSTRUMENTS

Date	
Customer	
Project	
Type	

Mini-Multiple Smart Ring Recessed Adjustable 2x LED 2700K DE Aluminium Matt - Black Matt



A vent'anni dal suo lancio, Mini-Multiple è ancora una serie di spot molto ricercata e una delle soluzioni di punta del nostro portafoglio di illuminazione architetturale. L'elegante tecnologia in bella mostra fa di Mini-Multiple il tuo alleato per ambienti minimalisti e industrial-chic.

Specifications

Materiale	12525005	
Tipo di Sorgente	LED	
Tipologia LED	BRIDGELUX V8G8	
Tecnologie LED	COB	
CRI	Min. 90	
Temperatura di colore della luce	2700K	
Vita utile	L80B20 @50.000 ore	
Lampadina inclusa	Sì	
Numero di fonte luminosa	2	
Codice di flusso CIE	100 100 100 100 95	
Binning (SDCM)	2	
Direzione della luce	Diretta	
Ottiche	Riflettore	
Volt in ingresso	Necessario driver a corrente costante	
Classificazione elettrica	III	
Grado IP	20	
Test filo a caldo (°C)	960	
Interno/Esterno	Interno	
Applicazione	Soffitto, Parete	
Montaggio	Incassato	
Foro d'incasso (mm)	L 210 W 110	
Profondità di montaggio (mm)	120,0	
Orientabilità	V -35°/+35°	
Distanza dall'oggetto illuminato (m)	0,1	
Colore primario & Finitura primaria	Alluminio, Opaca	
Colore secondario & Finitura secondaria	Nero, Opaca	
Peso lordo (g)	1270,0	
Corrente di azionamento (mA)	350	500
Min. forward voltage (Vf)	13,2	13,7
Max. forward voltage (Vf)	15,0	15,4
Connected load (W)	5,0	7,2
Flusso luminoso per lampade (lm)	526	707
Efficienza (lm/W)	85	77

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-10-02, 08:02:42 AM - ©Modular Lighting Instruments

Livello abbagliamento	13 14
Remark	• Smart front ring non incluso • Questo non è un prodotto completo. Necessario Smart front ring

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-10-02, 08:02:42 AM - ©Modular Lighting Instruments

TM30 & CRI diagram





Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-10-02, 08:02:42 AM - ©Modular Lighting Instruments

Accessorio Ottico

- **12553002** Frontring Smart Flat Medium Black Matt
- **12553009** Frontring Smart Flat Medium White Structure
- **12553102** Frontring Smart Flat Flood Black Matt
- **12553109** Frontring Smart Flat Flood White Structure
- **12553202** Frontring Smart Flat Spot Black Matt
- **12553209** Frontring Smart Flat Spot White Structure
- **12554002** Frontring Smart Cake Medium Black Matt
- **12554009** Frontring Smart Cake Medium White Structure
- **12554102** Frontring Smart Cake Flood Black Matt
- **12554109** Frontring Smart Cake Flood White Structure
- **12554202** Frontring Smart Cake Spot Black Matt
- **12554209** Frontring Smart Cake Spot White Structure
- **12555002** Frontring Smart Lotis Medium Black Matt
- **12555009** Frontring Smart Lotis Medium White Structure
- **12555102** Frontring Smart Lotis Flood Black Matt
- **12555109** Frontring Smart Lotis Flood White Structure
- **12555202** Frontring Smart Lotis Spot Black Matt
- **12555209** Frontring Smart Lotis Spot White Structure
- **12556002** Frontring Smart Kup Medium Black Matt
- **12556009** Frontring Smart Kup Medium White Structure
- **12556102** Frontring Smart Kup Flood Black Matt
- **12556109** Frontring Smart Kup Flood White Structure
- **12556202** Frontring Smart Kup Spot Black Matt
- **12556209** Frontring Smart Kup Spot White Structure

Accessori Installazione



- **10400230** Installation Housing 257x222x147
- **10420230** Plaster Kit 240x287 - 210x110 1x

Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-10-02, 08:02:42 AM - ©Modular Lighting Instruments