


| |
|----------|
| Date |
| Customer |
| Project |
| Type |

Mini-Multiple Smart Ring Recessed Adjustable 3x LED 2700K DE Aluminium Matt - Black Matt



Twenty years after its initial launch, Mini-Multiple is still a much coveted spot series and one of our flagship solutions in our architectural lighting portfolio. Its stylish technology on full display makes Mini-Multiple your ally for both minimalist and industrial-chic expressions.



Specifications

| | |
|-------------------------------------|----------------------------------|
| Material | 12526005 |
| Light Source Type | LED |
| LED Type | BRIDGELUX V8G8 |
| LED technology | LED COB |
| CRI | Min. 90 |
| Colour Temperature | 2700K |
| Lifetime | L80B20 @50,000 Hours |
| Lamp Included | Yes |
| Number of Light Sources | 3 |
| CIE flux code | 100 100 100 100 95 |
| Binning (SDCM) | 2 |
| Light Direction | Down |
| Optic | Reflector |
| Input Voltage | Constant Current Driver Required |
| Electrical Class | III |
| IP Rating | 20 |
| Glow wire rating (°C) | 960 |
| Indoor/Outdoor | Indoor |
| Application | Ceiling, Wall |
| Mounting | Recessed |
| Cut-out size (mm) | L 315 W 110 |
| Mounting depth (mm) | 120.0 |
| Adjustability | V -35°/+35° |
| Distance to Lighted Object (m) | 0,1 |
| Primary Colour & Primary Finish | Aluminium, Matt |
| Secondary Colour & Secondary Finish | Black, Matt |
| Gross weight (g) | 1970.0 |
| Drive current (mA) | 350 500 |
| Min. forward voltage (Vf) | 13,2 13,7 |
| Max. forward voltage (Vf) | 15,0 15,4 |
| Connected load (W) | 5,0 7,2 |
| Luminous flux per lamp (lm) | 526 707 |
| Efficacy (lm/W) | 85 77 |
| Glare rating | 13 14 |

Remark

- Smart front ring not included
 - This is not a complete product. Smart front ring required.
-


TM30 & CRI diagram



Optical Accessories

- **12553002** Frontring Smart Flat Medium Black Matt
- **12553009** Frontring Smart Flat Medium White Structure
- **12553102** Frontring Smart Flat Flood Black Matt
- **12553109** Frontring Smart Flat Flood White Structure
- **12553202** Frontring Smart Flat Spot Black Matt
- **12553209** Frontring Smart Flat Spot White Structure
- **12554002** Frontring Smart Cake Medium Black Matt
- **12554009** Frontring Smart Cake Medium White Structure
- **12554102** Frontring Smart Cake Flood Black Matt
- **12554109** Frontring Smart Cake Flood White Structure
- **12554202** Frontring Smart Cake Spot Black Matt
- **12554209** Frontring Smart Cake Spot White Structure
- **12555002** Frontring Smart Lotis Medium Black Matt
- **12555009** Frontring Smart Lotis Medium White Structure
- **12555102** Frontring Smart Lotis Flood Black Matt
- **12555109** Frontring Smart Lotis Flood White Structure
- **12555202** Frontring Smart Lotis Spot Black Matt
- **12555209** Frontring Smart Lotis Spot White Structure
- **12556002** Frontring Smart Kup Medium Black Matt
- **12556009** Frontring Smart Kup Medium White Structure
- **12556102** Frontring Smart Kup Flood Black Matt
- **12556109** Frontring Smart Kup Flood White Structure
- **12556202** Frontring Smart Kup Spot Black Matt
- **12556209** Frontring Smart Kup Spot White Structure

Installation Accessories



■ **10400330** Installation Housing 257x327x147

■ **10420330** Plaster Kit 345x287 - 315x110 1x

■ Choose a required accessory