



Mini-Multiple Smart Ring Recessed Trimless Adjustable 3x LED 2700K DE Black Matt



A vent'anni dal suo lancio, Mini-Multiple è ancora una serie di spot molto ricercata e una delle soluzioni di punta del nostro portafoglio di illuminazione architeturale. L'elegante tecnologia in bella mostra fa di Mini-Multiple il tuo alleato per ambienti minimalisti e industrial-chic.



Specifications

| | |
|--------------------------------------|---------------------------------------|
| Materiale | 12537002 |
| Tipo di Sorgente | LED |
| Tipologia LED | BRIDGELUX V8G8 |
| Tecnologie LED | COB |
| CRI | Min. 90 |
| Temperatura di colore della luce | 2700K |
| Vita utile | L90B10 @50.000 ore |
| Lampadina inclusa | Sì |
| Numero di fonte luminosa | 3 |
| Codice di flusso CIE | 100 100 100 100 95 |
| Binning (SDCM) | 2 |
| Direzione della luce | Diretta |
| Ottiche | Riflettore |
| Volt in ingresso | Necessario driver a corrente costante |
| Classificazione elettrica | III |
| Grado IP | 20 |
| Test filo a caldo (°C) | 960 |
| Interno/Esterno | Interno |
| Applicazione | Soffitto, Parete |
| Montaggio | Incassato |
| Foro d'incasso (mm) | L 312 W 107 |
| Profondità di montaggio (mm) | 120,0 |
| Orientabilità | V -35°/+35° |
| Distanza dall'oggetto illuminato (m) | 0,1 |
| Colore primario & Finitura primaria | Nero, Opaca |
| Peso lordo (g) | 1630,0 |
| Corrente di azionamento (mA) | 350 500 |
| Min. forward voltage (Vf) | 13,2 13,7 |
| Max. forward voltage (Vf) | 15,0 15,4 |
| Connected load (W) | 5,0 7,2 |
| Flusso luminoso per lampade (lm) | 526 707 |
| Efficienza (lm/W) | 105 98 |
| Livello abbagliamento | 14 15 |

Remark

- Smart front ring non incluso
 - Questo non è un prodotto completo. Necessario Smart front ring
 - This is not a complete product. Smart front ring required.
-

TM30 & CRI diagram




Accessorio Ottico

- 12553002 Frontring Smart Flat Medium Black Matt
- 12553009 Frontring Smart Flat Medium White Structure
- 12553102 Frontring Smart Flat Flood Black Matt
- 12553109 Frontring Smart Flat Flood White Structure
- 12553202 Frontring Smart Flat Spot Black Matt
- 12553209 Frontring Smart Flat Spot White Structure
- 12554002 Frontring Smart Cake Medium Black Matt
- 12554009 Frontring Smart Cake Medium White Structure
- 12554102 Frontring Smart Cake Flood Black Matt
- 12554109 Frontring Smart Cake Flood White Structure
- 12554202 Frontring Smart Cake Spot Black Matt
- 12554209 Frontring Smart Cake Spot White Structure
- 12555002 Frontring Smart Lotis Medium Black Matt
- 12555009 Frontring Smart Lotis Medium White Structure
- 12555102 Frontring Smart Lotis Flood Black Matt
- 12555109 Frontring Smart Lotis Flood White Structure
- 12555202 Frontring Smart Lotis Spot Black Matt
- 12555209 Frontring Smart Lotis Spot White Structure
- 12556002 Frontring Smart Kup Medium Black Matt
- 12556009 Frontring Smart Kup Medium White Structure
- 12556102 Frontring Smart Kup Flood Black Matt
- 12556109 Frontring Smart Kup Flood White Structure
- 12556202 Frontring Smart Kup Spot Black Matt
- 12556209 Frontring Smart Kup Spot White Structure


Accessori Installazione



- 12534002 Mini-Multiple Trimless Mounting Bracket Black



■ **10460730** Plaster Kit Trimless 338x133 - 311x106 3x



■ **10440730** Installation Housing 342x158x130

■ Choose a required accessory