MODULAR LIGHTING — INSTRUMENTS

Date	
Customer	
Project	
Type	

Mini-Multiple Smart Ring Recessed Trimless Adjustable 3x LED 2700K DE Black Matt



A vent'anni dal suo lancio, Mini-Multiple è ancora una serie di spot molto ricercata e una delle soluzioni di punta del nostro portafoglio di illuminazione architetturale. L'elegante tecnologia in bella mostra fa di Mini-Multiple il tuo alleato per ambienti minimalisti e industrial-chic.

Specifications

Materiale	12537002	
Tipo di Sorgente	LED	
Tipologia LED	BRIDGELUX V8G8	
Tecnologie LED	COB	
CRI	Min. 90	
Temperatura di colore della luce	2700K	
Vita utile	L90B10 @50.000 ore	
Lampadina inclusa	Sì	
Numero di fonte luminosa	3	
Codice di flusso CIE	100 100 100 100 95	
Binning (SDCM)	2	
Direzione della luce	Diretta	
Ottiche	Riflettore	
Volt in ingresso	Necessario driver a corrente costante	
Classificazione elettrica	III	
Grado IP	20	
Test filo a caldo (°C)	960	
Interno/Esterno	Interno	
Applicazione	Soffitto, Parete	
Montaggio	Incassato	
Foro d'incasso (mm)	L 312 W 107	
Profondità di montaggio (mm)	120,0	
Orientabilità	V -35°/+35°	
Distanza dall'oggetto illuminato (m)	0,1	
Colore primario & Finitura primaria	Nero, Opaca	
Peso lordo (g)	1630,0	
Corrente di azionamento (mA)	350	500
Min. forward voltage (Vf)	13,2	13,7
Max. forward voltage (Vf)	15,0	15,4
Connected load (W)	5,0	7,2
Flusso luminoso per lampade (lm)	526	707
Efficienza (lm/W)	105	98
Livello abbagliamento	14	15

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-13, 08:58:50 PM - ©Modular Lighting Instruments

Remark	• Smart front ring non incluso • Questo non è un prodotto completo. Necessario Smart front ring • This is not a complete product. Smart front ring required.

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-13, 08:58:50 PM - ©Modular Lighting Instruments

TM30 & CRI diagram





Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-13, 08:58:50 PM - ©Modular Lighting Instruments

Accessorio Ottico

- **12553002** Frontring Smart Flat Medium Black Matt
- **12553009** Frontring Smart Flat Medium White Structure
- **12553102** Frontring Smart Flat Flood Black Matt
- **12553109** Frontring Smart Flat Flood White Structure
- **12553202** Frontring Smart Flat Spot Black Matt
- **12553209** Frontring Smart Flat Spot White Structure
- **12554002** Frontring Smart Cake Medium Black Matt
- **12554009** Frontring Smart Cake Medium White Structure
- **12554102** Frontring Smart Cake Flood Black Matt
- **12554109** Frontring Smart Cake Flood White Structure
- **12554202** Frontring Smart Cake Spot Black Matt
- **12554209** Frontring Smart Cake Spot White Structure
- **12555002** Frontring Smart Lotis Medium Black Matt
- **12555009** Frontring Smart Lotis Medium White Structure
- **12555102** Frontring Smart Lotis Flood Black Matt
- **12555109** Frontring Smart Lotis Flood White Structure
- **12555202** Frontring Smart Lotis Spot Black Matt
- **12555209** Frontring Smart Lotis Spot White Structure
- **12556002** Frontring Smart Kup Medium Black Matt
- **12556009** Frontring Smart Kup Medium White Structure
- **12556102** Frontring Smart Kup Flood Black Matt
- **12556109** Frontring Smart Kup Flood White Structure
- **12556202** Frontring Smart Kup Spot Black Matt
- **12556209** Frontring Smart Kup Spot White Structure

Accessori Installazione



12534002 Mini-Multiple Trimless Mounting Bracket Black

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-13, 08:58:50 PM - ©Modular Lighting Instruments



10460730 Plaster Kit Trimless 338x133 - 311x106 3x



10440730 Installation Housing 342x158x130

Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-13, 08:58:50 PM - ©Modular Lighting Instruments