


Date
Customer
Project
Type

FFD_Lotis Square Recessed 1x IP55 MR16 DE White Structure

Lotis Square is a compact, square version of our successful Lotis Round series. The bulb sits deep in a conical cup, making it less visible. An IP variant for use in damp rooms and environments is also available. Then, there is Lotis Square with LED, using our M-LED 50 module. This one allows you to choose from a large range of light colours and three different beam angles (spot, medium or flood).




Specifications

Material	12615009
Light Source Type	MR16
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Input Voltage	12Vac
Electrical Class	III
IP Rating	55
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling
Mounting	Recessed
Cut-out size (mm)	L 84 W 84
Mounting depth (mm)	130.0
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	355.0
Remark	<ul style="list-style-type: none"> 12V halogen transformer required This is not a complete product. Light module required.

Specifications

Light distribution & beam diagram




Diagrams

Installation Accessories



10889830 Installation Housing 192x190x130



12291230 Plaster Kit 190x190 - 84x84 1x

Choose a required accessory