


Date
Customer
Project
уре

Lowieze Floor 70 High 1x IP54 LED 3000K Flood Non-Dim DI Black Structure



Lowieze is a highly versatile outdoor luminaire and comes in two heights. The shorter version is perfect for lighting a pathway, while the taller one works wonders at highlighting garden features. The cylindrical light units can rotate fully around the body, also a cylinder, and can therefore be used as uplights or downlights independently of each other. Available with one or two light units.





α		C·	
7	neci	fications	
ໆ,		1000000	

Material	12672308	
Light Source Type	LED	
LED Type	LED LOWIE/LOWIEZE/SULFER	
LED technology	LED high power	
CRI	Min. 90	
Colour Temperature	3000K	
Lifetime	L80B20 @50,000 Hours	
Lamp Included	Yes	
Number of Light Sources	1	
Binning (SDCM)	3	
Light Direction	Down	
Optic	Collimator	
Measured beam angle (°)	39.7	
Input Voltage	230V	
Luminaire power (W)	5.8	
Electrical Class	1	
IP Rating	54	
Glow wire rating (°C)	960	
Dimming Protocol	Non-Dim	
Indoor/Outdoor	Outdoor	
Application	Floor	
Adjustability	V 359°	
Distance to Lighted Object (m)	0,1	
Primary Colour & Primary Finish	Black, Structure	
Gross weight (g)	2430.0	
Luminous flux per lamp (lm)	208	
Efficacy (Im/W)	41	
Glare rating	9	




TM30 & CRI diagram






Light distribution & beam diagram





Installation Accessories



11189802 Earthpin 350 Black

Choose a required accessory