


Date
Customer
Project
Type

FFD\_Smart Lotis Recessed Adjustable 115 1x GU10 Black Structure




The 3 original designs, Smart Kup, Lotis and Cake still manage to steal the hearts of interior designers. And this goes for the entire Smart family. Smart's accessibility and extreme versatility are arguably fit for any expression. Mix and match accent lighting, up and downlight, fixed or adjustable, a mosaic of shapes, sizes, colours and mounting options, and create a playful installation.




Specifications

Material	12782032
Light Source Type	GU10
Lifetime	L80B20 @50,000 Hours
Lamp Included	No
Number of Light Sources	1
Light Direction	Down
Optic	Reflector
Input Voltage	230V
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø108
Mounting depth (mm)	130.0
Adjustability	H 355° V 30°
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Structure
Gross weight (g)	407.0


Light distribution & beam diagram



## Decorative Accessories




- 12810009** Mask Smart 115 1x White Structure  
**12810032** Mask Smart 115 1x Black Structure  
**12810046** Mask Smart 115 1x Gold Matt




- 12810109** Mask Smart 115 2x White Structure  
**12810132** Mask Smart 115 2x Black Structure  
**12810146** Mask Smart 115 2x Gold Matt


## Installation Accessories



- 10889830** Installation Housing 192x190x130



- 12290530** Plaster Kit 190X190 - 108 1x



- 12810230** Ring Recessed 115 1x

Choose a required accessory



**MODULAR**  
LIGHTING —  
INSTRUMENTS

*FFD\_Smart Lotis Recessed Adjustable 115 1x GU10 Black  
Structure*

---