


Date
Customer
Project
Туре

Charlatan Track 230V Adjustable 100 1x LED 4000K DALI DI Black Structure



A trackspot for our 230V track rail, Charlatan is an easy choice for spaces that need change. Its unpretentious, timeless design and excellent price/quality ratio make Charlatan ideal for several spaces. A thin, adjustable bracket. A flexibility of 360° horizontal and 90° vertical. A deeper-recessed reflector for visual comfort. With Charlatan, there's no compromise on quality or technology.






a			·	, .		ı
7	ne	C1	tic	atı	ons	ı
\sim	μ ϵ	ر با			0.15	

Material	13112732		
Light Source Type	LED		
LED Type	LUMILED 1211 GEN4		
LED technology	LED COB		
CRI	Min. 90		
Colour Temperature	4000K		
Lifetime	L80B10 @50,000 Hours		
Lamp Included	Yes		
Number of Light Sources	1		
CIE flux code	99 100 100 100 85		
Binning (SDCM)	3		
Light Direction	Down		
Optic	Reflector		
Input Voltage	230V		
Luminaire power (W)	34.5		
Electrical Class	1		
IP Rating	20		
Glow wire rating (°C)	960		
Dimming Protocol	DALI		
DALI Standard	DALI-2		
Indoor/Outdoor	Indoor		
Application	Ceiling		
Adjustability	H 359° V -90°/+90°		
Distance to Lighted Object (m)	0,1		
Primary Colour & Primary Finish	Black, Structure		
Gross weight (g)	1336.0		
Delivered lumens (Im)	3666		
Efficacy (Im/W)	106		
Glare rating	19		
Remark	 3500K on request Reflector not included 3500K on request Reflector not included This is not a complete product. Reflector and track 230V system required. This is not a complete product. Reflector and 		

track 230V system required.




TM30 & CRI diagram







Optical Accessories



10210009 Reflector 100 Flood Aluminium Anodised
 10210008 Reflector 100 Medium Aluminium Anodised
 10210007 Reflector 100 Spot Aluminium Anodised

Choose a required accessory