


Date
Customer
Project
Type

FFD_Kanon Track 230V Adjustable 110 lx LED 4000K Flood DALI DI White Structure


Interior designers in search of spotlight track lighting that combines exceptional brightness with great design, can stop looking. Kanon is their secret weapon. The most powerful spotlight in our portfolio (up to 5000 lumens), Kanon fires light, while looking sleek and elegant. No wiring and cables in sight. Designed for retail environments, Kanon is a sure-fire way of illuminating your merchandise in style.




Specifications

Material	13153009
Light Source Type	LED
LED Type	LUMILED 1205 GEN 3
LED technology	LED COB
CRI	Min. 90
Colour Temperature	4000K
Lifetime	L80B20 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
Binning (SDCM)	3
Light Direction	Down
Optic	Reflector
Measured beam angle (°)	38.2
Input Voltage	230V
Luminaire power (W)	42.3
Electrical Class	I
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	DALI
DALI Standard	DALI-2
Indoor/Outdoor	Indoor
Application	Ceiling
Adjustability	H 365° V 90°
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	2265.0
Delivered lumens (lm)	3483
Efficacy (lm/W)	82
Glare rating	20
Remark	<ul style="list-style-type: none"> This is not a complete product. Track 230V system required.

TM30 & CRI diagram



Optical Accessories




10216703 FFD_Spreadlens \varnothing 78

10216730 FFD_Reflector \varnothing 80 h39 LED wide flood


10216430 FFD_Reflector \varnothing 80 h39 LED spot

10216530 FFD_Reflector \varnothing 80 h39 LED medium

10216630 FFD_Reflector \varnothing 80 h39 LED flood



10216700 FFD_Transparant glass \varnothing 78



10217002 Crossblade 80 Black Matt

Choose a required accessory