


Date
Customer
Project
Type

## FFD\_Kanon Track 230V Adjustable 138 1x LED 4000K Medium Trailing Edge DI White Structure


Interior designers in search of spotlight track lighting that combines exceptional brightness with great design, can stop looking. Kanon is their secret weapon. The most powerful spotlight in our portfolio (up to 5000 lumens), Kanon fires light, while looking sleek and elegant. No wiring and cables in sight. Designed for retail environments, Kanon is a sure-fire way of illuminating your merchandise in style.




### Specifications

Material	13160909
Light Source Type	LED
LED Type	LUMILED 1211 GEN4
LED technology	LED COB
CRI	Min. 90
Colour Temperature	4000K
Lifetime	L80B10 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
Binning (SDCM)	3
Light Direction	Down
Optic	Reflector
Measured beam angle (°)	25.0
Input Voltage	230V
Luminaire power (W)	56.0
Electrical Class	I
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	Trailing Edge
Indoor/Outdoor	Indoor
Application	Ceiling
Adjustability	H 365° V 90°
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	2745.0
Delivered lumens (lm)	5365
Efficacy (lm/W)	95
Glare rating	18
Remark	<ul style="list-style-type: none"> <li>This is not a complete product. Track 230V system required.</li> </ul>

### TM30 & CRI diagram




### Light distribution & beam diagram






### Optical Accessories

- 10216130** FFD\_Reflector Ø111 LED medium
- 10216230** FFD\_Reflector Ø111 LED flood
- 10216330** FFD\_Reflector Ø111 LED wide flood
- 10216030** FFD\_Reflector Ø111 LED spot



- 10216800** FFD\_Transparant glass Ø108



- 10216803** FFD\_Spreadlens Ø108

Choose a required accessory