




Date _____
Customer _____
Project _____
Type _____

Modupoint Round Recessed 45 1x DE Black Structure




1984. Modupoint enters the market. Instantly revolutionary, it was the first lighting system with interchangeable components and a refined design fully integrated with the ceiling. 2020. Modupoint Round and Modupoint Square enter with the latest smart LED lighting technology and new minimalist designs. Modupoint Round can connect Marbulito, Médard, Minude and Gamin.


Specifications

Material	13240332
Lamp Included	No
Number of Light Sources	1
Input Voltage	Constant Current Driver Required
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Mounting	Recessed
Cut-out size (mm)	ø16
Mounting depth (mm)	45.0
Adjustability	Not Applicable
Primary Colour & Primary Finish	Black, Structure
Gross weight (g)	42.0
Remark	<ul style="list-style-type: none">• This is not a complete product. Jack light modules required.


Decorative Accessories




13240009 Stick Modupoint 100 White Structure
13240032 Stick Modupoint 100 Black Structure




13240109 Stick Modupoint 200 White Structure
13240132 Stick Modupoint 200 Black Structure




13240209 Stick Modupoint 300 White Structure
13240232 Stick Modupoint 300 Black Structure




13242509 Stick Modupoint 600 White Structure
13242532 Stick Modupoint 600 Black Structure




13242632 Stick Modupoint 900 Black Structure
13242609 Stick Modupoint 900 White Structure




13242732 Stick Modupoint 1200 Black Structure
13242709 Stick Modupoint 1200 White Structure



13242832 Stick Modupoint 1500 Black Structure
13242809 Stick Modupoint 1500 White Structure



13242209 Stick Modupoint Curved 90° White Structure
13242232 Stick Modupoint Curved 90° Black Structure



13242309 Stick Modupoint Curved 180° White Structure
13242332 Stick Modupoint Curved 180° Black Structure

Choose a required accessory