


Date
Customer
Project
Type

Flat Moon Suspended Up/Down 450 2x LED 3000K 1-10V/Push-Dim DI White Structure





Specifications


Material	13300709
Light Source Type	LED
LED Type	FLAT MOON LED
LED technology	LED PCB
CRI	Min. 90
Colour Temperature	3000K
Lifetime	L80B20 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	2
Binning (SDCM)	3
Light Direction	Up/Down
Input Voltage	230V
Luminaire power (W)	45.4
Electrical Class	I
IP Rating	20
Glow wire rating (°C)	650
Dimming Protocol	1-10V, Push-Dim
Indoor/Outdoor	Indoor
Application	Ceiling
Mounting	Suspended
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	5790.0
Delivered lumens (lm)	3573
Efficacy (lm/W)	78
Glare rating	21
Remark	<ul style="list-style-type: none"> • Suspension kit not included • Suspension kit not included • This is not a complete product. Suspension kit required.

When minimalist, general lighting design meets the celestial. Our slim and round Flat Moon family offers a LED PCB solution that produces a homogeneous light surface we can't stop looking at. Either full or eclipsed, Flat Moon lights your space with the calm and beauty you expect.

TM30 & CRI diagram




Light distribution & beam diagram




Optical Accessories

- 13289000** Diffuser Flat Moon 450 Prismatic
- 13289100** Diffuser Flat Moon 450 Ice Prismatic


Installation Accessories




- 11061909** Power Feed and Suspension Kit 4000 Round 5P Flat Moon (3) Straight White Structure
- 11061932** Power Feed and Suspension Kit 4000 Round 5P Flat Moon (3) Straight Black Structure




- 11061809** Power Feed and Suspension Kit 4000 Round 3P Flat Moon (3) Straight White Structure
- 11061832** Power Feed and Suspension Kit 4000 Round 3P Flat Moon (3) Straight Black Structure



- 11062409** Power Feed and Suspension Kit Round 9P Flat Moon (3) Straight (Incl. Power Feed Cable & Suspension Cable 4000) White Structure
- 11062432** Power Feed and Suspension Kit Round 9P Flat Moon (3) Straight (Incl. Power Feed Cable & Suspension Cable 4000) Black Structure



- 11066009** FFD_Flat moon suspension kit 4m / 3x0.75 triangle (3 cables) white struc
- 11066032** FFD_Flat moon suspension kit 4m / 3x0.75 triangle (3 cables) black struc
- 11066109** Power Feed and Suspension Kit Round 5P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) White Structure
- 11066132** Power Feed and Suspension Kit Round 5P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) Black Structure



■ **11066209** Power Feed and Suspension Kit Round 9P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) White Structure

■ **11066232** Power Feed and Suspension Kit Round 9P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) Black Structure

■ Choose a required accessory