MODULAR LIGHTING — INSTRUMENTS

Date	
Customer	
Project	
Type	

Flat Moon Suspended Up/Down 450 2x LED 3000K 1-10V/Push-Dim DI Black Structure

Aquí es donde el diseño minimalista de la iluminación general alcanza el terreno de lo celestial. Nuestra familia Flat Moon, de perfil fino y redondo, ofrece una solución PCB LED que produce una superficie de luz homogénea de la que no podrá apartar la vista. Con luminosidad total o eclipsada, Flat Moon proporciona la luz relajante y bella que desea para su espacio.



Specifications

Material	13300732
Tipo de fuente de luz	LED
Tipo de LED	FLAT MOON LED
Tecnología LED	PCB LED
CRI	Min. 90
Temperatura del color	3000K
Vida Util	L80B20 @50.000 horas
Lámpara Incluida	Sí
Número de fuentes de luz	2
Binning (SDCM)	3
Dirección de la luz	Indirecto / Directo
Voltaje de entrada	230V
Luminaire power (W)	45,4
Clasificacion eléctrica	I
Clasificación del IP	20
Clasificación de hilo incandescente (°C)	650
Protocolo de regulación	1-10V, Push-Dim
Interio/Exterior	Interior
Aplicación	Techo
Montaje	Suspendido
Ajustabilidad	Not Applicable
Distancia al objeto iluminado (m)	0,1
Color principal & Acabado principal	Negro, Estructura
Peso bruto (g)	5790,0
Flujo luminoso por lámpara (lm)	3165
Eficacia (lm/W)	69
Índice de deslumbramiento	20
Remark	• Kit de suspensión no incluido • Kit de suspensión no incluido • No es un producto completo. Se requiere kit de suspensión.

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-19, 06:10:07 PM - ©Modular Lighting Instruments

TM30 & CRI diagram





Light distribution & beam diagram



Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-19, 06:10:07 PM - ©Modular Lighting Instruments

Accesorios Opticos

13289000 Diffuser Flat Moon 450 Prismatic

13289100 Diffuser Flat Moon 450 Ice Prismatic

Accesorios Instalación



11061909 Power Feed and Suspension Kit 4000 Round 5P Flat Moon (3) Straight White Structure
11061932 Power Feed and Suspension Kit 4000 Round 5P Flat Moon (3) Straight Black Structure



11061809 Power Feed and Suspension Kit 4000 Round 3P Flat Moon (3) Straight White Structure
11061832 Power Feed and Suspension Kit 4000 Round 3P Flat Moon (3) Straight Black Structure



11062409 Power Feed and Suspension Kit Round 9P Flat Moon (3) Straight (Incl. Power Feed Cable & Suspension Cable 4000) White Structure
11062432 Power Feed and Suspension Kit Round 9P Flat Moon (3) Straight (Incl. Power Feed Cable & Suspension Cable 4000) Black Structure



11066109 Power Feed and Suspension Kit Round 5P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) White Structure
11066132 Power Feed and Suspension Kit Round 5P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) Black Structure

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-19, 06:10:07 PM - ©Modular Lighting Instruments



11066209 Power Feed and Suspension Kit Round 9P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) White Structure

11066232 Power Feed and Suspension Kit Round 9P Flat Moon (3) Triangle (Incl. Power Feed Cable & Suspension Cable 4000) Black Structure

Choose a required accessory

Modular L.I. reserves the right to alter material, dimensions and characteristics without prior notice. Lighting technology changes rapidly
Latest datasheet and documentation available on www.supermodular.com - 2026-09-19, 06:10:07 PM - ©Modular Lighting Instruments