


Date
Customer
Project
Type

## FFD\_Pista Linear Light Flaps Track 48V 1636 1x LED 3000K 1-10V DI White Structure



Pista is the ultimate in modern aesthetics that introduces thinner and slimmer magnetic track rails, ever smaller light fixtures and ultra-thin cables. Designers can play with different modules on single or multiple track rails in different lengths and colours. The geometrical possibilities are endless.



### Specifications

Material	13450709
Light Source Type	LED
LED Type	PISTA LINEAR (FLAPS)
LED technology	LED flexible PCB
CRI	Min. 90
Colour Temperature	3000K
Lifetime	L80B10 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	59 86 97 100 75
Binning (SDCM)	3
Light Direction	Down
Optic	Lens
Input Voltage	48Vdc
Luminaire power (W)	25.5
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	1-10V
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	1451.0
Luminous flux per lamp (lm)	1911
Efficacy (lm/W)	74
Glare rating	22
Remark	<ul style="list-style-type: none"> <li>• 3500K and 4000K on request</li> <li>• This white Track 48V linear module comes with a white track adapter. Exceptions are only possible on request.</li> <li>• This Track 48V luminaire can not be used in the upper part of a Pista Track 48V Profile Suspended Up/Down.</li> <li>• This is not a complete product. Pista track 48V system required.</li> <li>• For installations without dimmer, it is</li> </ul>



**MODULAR**  
LIGHTING —  
INSTRUMENTS


*FFD\_Pista Linear Light Flaps Track 48V 1636 lx LED 3000K 1-  
10V DI White Structure*

---


recommended to use 1-10 V luminaires.

---

TM30 & CRI diagram



Light distribution & beam diagram



Diagrams