


Pate	
Customer	
Project	
ype	

## Pista Linear Spots Track 48V 302 1x LED 2700K Flood 1-10V Black Structure



Pista is the ultimate in modern aesthetics that introduces thinner and slimmer magnetic track rails, ever smaller light fixtures and ultra-thin cables. Designers can play with different modules on single or multiple track rails in different lengths and colours. The geometrical possibilities are endless.





a			c·			
Ν	ne.	C11	1.0	ati	$\boldsymbol{O}$	ns
$\sim$	$P^{-}$	ויים	•		•	75

Material	13461132
Light Source Type	LED
LED Type	PISTA LINEAR SPOTS (8x)
LED technology	LED PCB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L90B20 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	95 100 100 100 72
Binning (SDCM)	3
Light Direction	Down
Optic	Collimator
Measured beam angle (°)	38.5
Input Voltage	48Vdc
Luminaire power (W)	9.0
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	1-10V
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Adjustability	Not Applicable
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	Black, Structure
Gross weight (g)	125.0
Luminous flux per lamp (lm)	621
Efficacy (Im/W)	69
Glare rating	17
Remark	3500K on request

- White Pista Track 48V linear modules come with a white track adapter. All other Pista Track 48V linear modules have a black track adapter. Exceptions are only possible on request.
- This is not a complete product. Pista track 48V system required.
- For installations without dimmer, it is





recommended to use 1-10 V luminaires.



## TM30 & CRI diagram





## Light distribution & beam diagram

