


Pate	
Customer	
Project	
уре	

Marbul Track 48V Adjustable 109 1x LED 2700K 1-10V White Structure



Marbul is a timeless, spherical accent luminaire. Its pure geometrical shape makes it easily fit in every interior. Why designers love it so? The attention to detail and the simplicity of the shape present a minimalistic, elegant and versatile design for those looking to experiment with organic lighting.






13482009

Specij	ications
Material	

11101011011	
Light Source Type	LED
LED Type	CREE 1507
LED technology	LED COB
CRI	Min. 90
Colour Temperature	2700K
Lifetime	L80B20 @50,000 Hours
Lamp Included	Yes
Number of Light Sources	1
CIE flux code	100 100 100 100 88
Binning (SDCM)	2
Light Direction	Down
Optic	Reflector
Input Voltage	48Vdc
Luminaire power (W)	8.5
Electrical Class	III
IP Rating	20
Glow wire rating (°C)	960
Dimming Protocol	1-10V
Indoor/Outdoor	Indoor
Application	Ceiling, Wall
Adjustability	H 360° V 45°
Distance to Lighted Object (m)	0,1
Primary Colour & Primary Finish	White, Structure
Gross weight (g)	1047.0
Delivered lumens (Im)	634
Efficacy (Im/W)	74
Glare rating	14

Remark • 4000K on request

- White Pista 48V luminaires have a white track adapter. All other Pista 48V luminaires have a black track adapter. Deviation from this is only possible on request.
- This Track 48V luminaire can not be used in the upper part of a Pista Track 48V Profile Suspended Up/Down.
- Magnetic reflector not included
- 4000K on request
- This is not a complete product. Magnetic





reflector and Pista track 48V system required.

- This is not a complete product. Magnetic reflector and Pista track 48V system required.
- For installations without dimmer, it is recommended to use 1-10 V luminaires.




## TM30 & CRI diagram





## Light distribution & beam diagram





## Optical Accessories

ed

Reflector 82 Flood Gold Anodised

10217630