


## Placebo Kompas Suspended Up 60 1x LED 3000K DE Bronze Brushed Anodised



Placebo is a paradigm of playful choices of up and down light. You will soon discover the many options it comes with, giving you even more choices. Different shapes, sizes and shades designed for you, and then add all the colour combinations. All playful instruments to turn your creative vision into lovely rhythms of pure forms and light.




### Specifications


|                                 |                                  |
|---------------------------------|----------------------------------|
| Material                        | 13582382                         |
| Light Source Type               | LED                              |
| LED Type                        | PLACEBO - TCI LED 12x 3030       |
| LED technology                  | LED PCB                          |
| CRI                             | Min. 90                          |
| Colour Temperature              | 3000K                            |
| Lifetime                        | L80B20 @50,000 Hours             |
| Lamp Included                   | Yes                              |
| Number of Light Sources         | 1                                |
| CIE flux code                   | 24 48 74 53 72                   |
| Binning (SDCM)                  | 3                                |
| Light Direction                 | Up                               |
| Input Voltage                   | Constant Current Driver Required |
| Electrical Class                | III                              |
| IP Rating                       | 20                               |
| Glow wire rating (°C)           | 960                              |
| Indoor/Outdoor                  | Indoor                           |
| Application                     | Ceiling                          |
| Mounting                        | Suspended                        |
| Adjustability                   | Not Applicable                   |
| Distance to Lighted Object (m)  | 0,1                              |
| Primary Colour & Primary Finish | Bronze, Brushed Anodised         |
| Gross weight (g)                | 505.0                            |
| Drive current (mA)              | 350                              |
| Min. forward voltage (Vf)       | 16,5                             |
| Max. forward voltage (Vf)       | 18,0                             |
| Connected load (W)              | 6,3                              |
| Luminous flux per lamp (lm)     | 625                              |
| Efficacy (lm/W)                 | 99                               |
| Glare rating                    | 17                               |

|        |                                                                                                                                                                                                                                                                                                                                                                         |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Remark | <ul style="list-style-type: none"><li>• Glass ball or tube not included</li><li>• Longer suspension cable on request (standard length is 2 meter)</li><li>• Lumen output depends on choice of glass accessory</li><li>• This is not a complete product. Kompas Round system required.</li><li>• This is not a complete product. Kompas Round system required.</li></ul> |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


**TM30 & CRI diagram**




**Light distribution & beam diagram**




### Optical Accessories




**12623038** Glass Tube Up 46 Placebo White Matt



**12623238** Glass Tube Up 130 Placebo White Matt




**12625038** Glass Ball Up 90 Placebo White Matt



**12625238** Glass Ball Up 155 Placebo White Matt

### Decorative Accessories




**12628017** Shade Beanie Placebo Champagne Brushed

**12628018** Shade Beanie Placebo Bronze Brushed

**12628038** Shade Beanie Placebo Grey White Matt

**12628083** Shade Beanie Placebo Black Matt



- 12629017** Shade Douli Placebo Champagne Brushed
- 12629018** Shade Douli Placebo Bronze Brushed
- 12629038** Shade Douli Placebo Grey White Matt
- 12629083** Shade Douli Placebo Black Matt

### *Installation Accessories*

- 13571209** Kompas Round Surface 340 50W 1-10V DI 500mA White Structure
- 13571232** Kompas Round Surface 340 50W 1-10V DI 500mA Black Structure
- 13571309** Kompas Round Surface 340 50W DALI DI 500mA White Structure
- 13571332** Kompas Round Surface 340 50W DALI DI 500mA Black Structure
- 13571409** Kompas Round Surface 340 100W Casambi DI 350mA White Structure
- 13571432** Kompas Round Surface 340 100W Casambi DI 350mA Black Structure
- 13571509** Kompas Round Surface 340 100W Casambi DI 500mA White Structure
- 13571532** Kompas Round Surface 340 100W Casambi DI 500mA Black Structure
- 13571609** Kompas Round Surface 340 50W Casambi DI 350mA White Structure
- 13571632** Kompas Round Surface 340 50W Casambi DI 350mA Black Structure
- 13571709** Kompas Round Surface 340 50W Casambi DI 500mA White Structure
- 13571732** Kompas Round Surface 340 50W Casambi DI 500mA Black Structure
- 13570009** Kompas Round Surface 340 60W Trailing Edge DI 350mA White Structure
- 13570032** Kompas Round Surface 340 60W Trailing Edge DI 350mA Black Structure
- 13570109** Kompas Round Surface 340 100W 1-10V DI 350mA White Structure
- 13570132** Kompas Round Surface 340 100W 1-10V DI 350mA Black Structure
- 13570209** Kompas Round Surface 340 100W DALI DI 350mA White Structure
- 13570232** Kompas Round Surface 340 100W DALI DI 350mA Black Structure
- 13570309** Kompas Round Surface 340 60W Trailing Edge DI 500mA White Structure
- 13570332** Kompas Round Surface 340 60W Trailing Edge DI 500mA Black Structure
- 13570409** Kompas Round Surface 340 100W 1-10V DI 500mA White Structure
- 13570432** Kompas Round Surface 340 100W 1-10V DI 500mA Black Structure
- 13570509** Kompas Round Surface 340 100W DALI DI 500mA White Structure
- 13570532** Kompas Round Surface 340 100W DALI DI 500mA Black Structure
- 13570609** Kompas Round Surface 340 DE White Structure
- 13570632** Kompas Round Surface 340 DE Black Structure
- 13570809** Kompas Round Surface 340 30W Trailing Edge DI 350mA White Structure



- **13570832** Kompas Round Surface 340 30W Trailing Edge DI 350mA Black Structure
- **13570909** Kompas Round Surface 340 50W 1-10V DI 350mA White Structure
- **13570932** Kompas Round Surface 340 50W 1-10V DI 350mA Black Structure
- **13571009** Kompas Round Surface 340 50W DALI DI 350mA White Structure
- **13571032** Kompas Round Surface 340 50W DALI DI 350mA Black Structure
- **13571109** Kompas Round Surface 340 30W Trailing Edge DI 500mA White Structure
- **13571132** Kompas Round Surface 340 30W Trailing Edge DI 500mA Black Structure
  
- Choose a required accessory