


| |
|----------|
| Date |
| Customer |
| Project |
| Type |

Marbul Recessed Adjustable 115 2x LED 1800-3000K WD DE White Structure



Specifications

| | |
|---------------------------------|----------------------------------|
| Material | 14222509 |
| Light Source Type | LED |
| LED Type | BRIDGELUX WARMDIM 12W |
| LED technology | LED COB |
| CRI | Min. 95 |
| Colour Temperature | 1800-3000K (Warm Dim) |
| Lifetime | L80B10 @50,000 Hours |
| Lamp Included | Yes |
| Number of Light Sources | 2 |
| CIE flux code | 100 100 100 100 94 |
| Binning (SDCM) | 3 |
| Light Direction | Down |
| Optic | Reflector |
| Input Voltage | Constant Current Driver Required |
| Electrical Class | III |
| IP Rating | 20 |
| Glow wire rating (°C) | 960 |
| Indoor/Outdoor | Indoor |
| Application | Ceiling, Wall |
| Mounting | Recessed |
| Cut-out size (mm) | ø 108 (x 2) L 228 |
| Mounting depth (mm) | 100.0 |
| Adjustability | H 360° V 45° |
| Distance to Lighted Object (m) | 0,1 |
| Primary Colour & Primary Finish | White, Structure |
| Gross weight (g) | 1798.0 |
| Drive current (mA) | 350 |
| Min. forward voltage (Vf) | 30,6 |
| Max. forward voltage (Vf) | 37,0 |
| Connected load (W) | 12,0 |
| Luminous flux per lamp (lm) | 955 |
| Efficacy (lm/W) | 79 |
| Glare rating | 14 |

Marbul is a timeless, spherical accent luminaire. Its pure geometrical shape makes it easily fit in every interior. Why designers love it so? The attention to detail and the simplicity of the shape present a minimalistic, elegant and versatile design for those looking to experiment with organic lighting.

| | |
|--------|--|
| Remark | <ul style="list-style-type: none">• 4000K on request• This is not a complete product. Discover the required accessories below.• Magnetic reflector not included• 4000K on request• This is not a complete product. Magnetic reflector required.• This is not a complete product. Magnetic reflector required. |
|--------|--|

TM30 & CRI diagram




Light distribution & beam diagram




Optical Accessories

- 10219330 Reflector 82 Medium WD Aluminium Anodised
- 10219630 Reflector 82 Flood WD Gold Anodised
- 10219430 Reflector 82 Flood WD Aluminium Anodised
- 10219830 Reflector 82 Flood WD Champagne Anodised

Installation Accessories



- 10390130 Installation Housing 183x312x122



- 12291530 Plaster Kit 310x212 - 108x120 1x

- Choose a required accessory