


Date
Customer
Project
Туре

Marbul Suspended Adjustable 109 1x LED 2700K Trailing Edge DI White Structure



Marbul is a timeless, spherical accent luminaire. Its pure geometrical shape makes it easily fit in every interior. Why designers love it so? The attention to detail and the simplicity of the shape present a minimalistic, elegant and versatile design for those looking to experiment with organic lighting.





C			, .	
Spe	ciți	ca	tıo	ns

Material	14233009		
Light Source Type	LED		
LED Type	CREE 1507		
LED technology	LED COB		
CRI	Min. 90		
Colour Temperature	2700K		
Lifetime	L80B20 @50,000 Hours		
Lamp Included	Yes		
Number of Light Sources	1		
CIE flux code	100 100 100 100 88		
Binning (SDCM)	2		
Light Direction	Down		
Optic	Reflector		
Input Voltage	230V		
Luminaire power (W)	11.0		
Electrical Class	1		
IP Rating	20		
Glow wire rating (°C)	960		
Dimming Protocol	Trailing Edge		
Indoor/Outdoor	Indoor		
Application	Ceiling		
Mounting	Suspended		
Adjustability	H 360° V 45°		
Distance to Lighted Object (m)	0,1		
Primary Colour & Primary Finish	White, Structure		
Gross weight (g)	1515.0		
Delivered lumens (lm)	634		
Efficacy (Im/W)	74		
Glare rating	14		
Remark	 Magnetic reflector not included Longer suspension cable on request (standard length is 2 meter) This is not a complete product. Magnetic reflector required. This is not a complete product. Magnetic reflector required. 		




TM30 & CRI diagram





Light distribution & beam diagram





Optical Accessories

10216830	Magnetic reflector ø82 LED super spot alu
10216930	Magnetic reflector ø82 LED super spot champagne
10217030	Magnetic reflector ø82 LED super spot gold
10217130	Magnetic reflector ø82 LED medium alu
10217230	Magnetic reflector ø82 LED medium champagne
10217330	Magnetic reflector ø82 LED medium gold
10217430	Magnetic reflector ø82 LED flood alu
10217530	Magnetic reflector ø82 LED flood champagne

Magnetic reflector ø82 LED flood gold

10217630

Choose a required accessory