


Date	
Customer	
Project	
Туре	

Extruded Track 48V Suspended 46 600 1x LED 1800-3000K WD Flood 1-10V Champagne Anodised - Black Brushed

Anodised



This statement luminaire loves to play with light when it's on and when it's off. Its strong lines bring vertical structure to your space. The grooves along the shaft tell a different tale, every time the surrounding light changes. A cone-shape lampshade offers glare-free, intimate, accent light. Extruded is made for exchange. People to people, light to shadow.





13690831

Specifications
----------------

Material

13690831
LED
BRIDGELUX WARMDIM 6W
LED COB
Min. 95
1800-3000K (Warm Dim)
L80B10 @50,000 Hours
Yes
1
98 100 100 100 77
3
Down
Reflector
46.1
48Vdc
6.0
III
20
960
1-10V
Indoor
Ceiling
Suspended
0,1
Champagne, Anodised
Black, Brushed Anodised
1910.0
388
65
22
This is not a complete product. Pista track 48V

- system required.
- For installations without dimmer, it is



## Extruded Track 48V Suspended 46 600 1x LED 1800-3000K WD Flood 1-10V Champagne Anodised - Black Brushed Anodised

recommended to use 1-10 V luminaires.



## TM30 & CRI diagram





## Light distribution & beam diagram

